



Europäisches **Patentamt**

European **Patent Office** Office européen des brevets

> REC'D 2 7 NOV 2003 PCT WIPO

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application conformes à la version described on the following page, as originally filed.

Les documents fixés à cette attestation sont initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patent application No. Demande de brevet nº Patentanmeldung Nr.

02291871.8

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

> Der Präsident des Europäischen Patentamts; Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets p.o.

R C van Dijk

BEST AVAILABLE COPY



Europäisches Patentamt Euro n Pate ffice

Office européen des brevets

Anmeldung Nr:

Application no.: 02291871.8

Demande no:

Anmeldetag:

Date of filing: 24

24.07.02

Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Libragen 11 Boulevard Einstein 69100 Villeurbanne FRANCE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention: (Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung. If no title is shown please refer to the description. Si aucun titre n'est indiqué se referer à la description.)

Method for the expression of unknown environmental DNA into adapted host cells

In Anspruch genommene Prioriät(en) / Priority(ies) claimed /Priorité(s) revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/Classification internationale des brevets:

C12N15/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

Method for the expression of unknown environmental DNA into adapted host cells

Introduction and Background

The present invention relates to methods and compositions for nucleic acid production, analysis and cloning. The present invention discloses tools and methods for the production and analysis of libraries of polynucleotides, particularly metagenomic libraries, which can be used to identify novel pathways, novel enzymes and novel metabolites of interest in various areas, including pharmaceutical, cosmetic, agrochemical and/or food industry.

Drug discovery process is based on two main fields, namely combinatorial chemistry and natural products. Combinatorial chemistry has shown its ability to generate huge amounts of molecules, but with limited chemical diversity. At the opposite, natural products have been the most predominant source of structural and molecular diversity. However, the exploitation of this diversity is strongly hampered by their limited access, complex identification and purification processes, as well as by their production.

15

20

25

Microorganisms are known to synthesize a large diversity of natural compounds which are already widely used in therapeutic, agriculture, food and industrial areas. However, this promising approach to the identification of new natural compounds has always been considerably limited by the principal technological bolts of isolating and *in vitro* propagating the huge diversity of bacteria. Most microorganisms living in a natural, complex environment (soil, digestive tract, sea, etc...) have not been cultivated because their optimal living conditions are either unknown or difficult to reproduce. Numbers of scientific publications relate this fact and it is now assumed that less than about 1% of the total bacterial diversity (when all environments are considered together) have been isolated and cultivated (Amann *et al*, 1995).

New approaches have been developed to try to overpass the critical step of isolation, and to access directly to the huge genetic potential established by the microbial adaptation processes through their long evolution. These approaches are called "Metagenomic" because they address a plurality of genomes of a whole bacterial community, without any distinction (metagenome).

Metagenomics involve direct extraction of DNAs from environmental samples and their propagation and expression into a cultivated host cell, typically a bacteria. Metagenomic has been firstly developed for the identification of new bacterial phylum (Pace et al.1997). This use is based on the specific cloning of genes recognized for their interest as phylogenetic markers, such as 16S rDNA genes. Further developments of Metagenomics relate to the detection and cloning of genes coding for proteins with environmental or industrial interest. These first two applications of metagenomic involve a first step of selection of genes (generally using PCR) before cloning. In the case of protein production, the cloning vector used are also expression vectors, i.e., they contain regulatory sequences upstream of the cloning site causing expression of the cloned gene in a given bacterial host strain.

More recent developments of metagenomic consider the total metagenome cloned without any selection and/or identification, to establish random "Metagenomic DNA libraries". This provides an access to the whole genetic potential of bacterial diversity without any "a priori" selection. Metagenomic DNA libraries are composed of hundreds of thousands of clones which differ from each other by the environmental DNA fragments which have been cloned. In this respect, large DNA fragments have been cloned (up to 40 Kb), so as to (i) limit the number of clones which have to be analysed and (ii) to be able to recover whole biosynthetic pathways. This last point is of particular interest for bacterial metagenomic-libraries-since, most of the time, the biosynthetic pathways have been found to be naturally organised in a same cluster of DNA and even in the same operon in bacteria.

5

10

15

20

25

Except for the identification and characterisation of bacterial community at the phylogenetic or diversity levels, metagenomic libraries produced in the prior art are gene expression libraries, i.e., the environmental DNA fragments are cloned downstream of a functional promoter, to allow their expression and analysis. In this regard, WO99/45154 and WO96/34112 relate to combinatorial gene expression libraries which comprise a pool of expression constructs where each expression construct contains DNA which is operably associated with one or more regulatory regions that drive expression of genes in an appropriate organisms. Furthermore, the expression constructs used in these methods have a very limited and invariable host range. Similarly, WO 01/40497 relates to the construction and use of expression vectors which can be transferred in one chosen expression bacterial host of the Streptomyces genus. All these approaches are, however, very limited since they require the presence of expression signals and confer invariable or very limited host range capabilities. Furthermore, most (if not all) metagenomic DNA libraries are established in E. coli which is the most efficient cloning system. However, most environmental DNA are not expressed or functionally active in E. coli. In particular, functional analysis in E. coli of genes cloned from G+C rich organisms, such as Actinomyces, could be limited by the lack of adequate transcription and translation system. Also, posttranslational modification system in E. coli is not operative on heterologous proteins from Actinomicetes and some specific substrates for proteins activity are not present in E. coli.

Thus, the exploitation of the huge potential of metagenomics for the discovery of new natural compounds, pathways or genes cannot be achieved with currently existing methods. Alternative technologies and processes must be developed, to allow production of efficient libraries and functional screening in a large variety of host cell species, including *Bacillus* or *Streptomyces*, to take full account of the huge diversity of the environmental DNAs.

Summary of the Invention

The present invention discloses improved tools and methods for the production and analysis of libraries of polynucleotides, particularly metagenomic libraries, which can be used to identify novel pathways, novel enzymes and novel metabolites of interest.

More particularly, the invention now proposes to keep the advantage of high efficient cloning in E. coli and to modify the properties of metagenomic libraries, to allow functional analysis of particular selected clones in any appropriate system, thereby making possible the analysis of the huge diversity of metagenomic libraries. According to the invention, polynucleotide libraries can be produced in any convenient cloning system, such as E. coli, and then modified, depending on the desired selection or screening system, to adapt host range and/or properties of the library (or a portion thereof).

15

20

10

5

A particular object of this invention resides more specifically in a method of analysing a library of polynucleotides, said polynucleotides being contained in cloning vectors having a particular host range, the method comprising (i) selecting cloning vectors in the library which contain a polynucleotide having a particular characteristic, (ii) modifying said selected cloning vectors to allow a transfer of said vectors and/or expression of the polynucleotide which they contain into a selected host cell, and (iii) analysing the polynucleotides contained in said modified vectors upon transfer of said modified vectors into said selected host cell.

25

An other object of this invention is a library of polynucleotides, wherein said library comprises a plurality of environmental DNA fragments cloned into cloning vectors, wherein said environmental DNA fragments contain a common molecular characteristic and wherein said cloning vectors are E. coli cloning vectors comprising a target

polynucleotide construct allowing transfer and/or expression of the environmental DNA into a selected host cell distinct from *E. coli*.

A further object of this invention is a method of producing modified libraries of polynucleotides, the method comprising selecting a sub-population of clones in a first library, based on the presence or absence of a characteristic of interest, and modifying the properties of said selected clones to allow their functional analysis or expression.

5

15

25

The modification in the library or cloning vector is typically obtained by targeted insertion of a polynucleotide construct, preferably using transposable elements, either in vitro or in vivo.

The invention is particularly suited for producing and analysing genetic diversity (metagenomic libraries), to identify and isolate new metabolites, drugs, enzymes, antibiotics, etc.

Legend to the Figures

Figure 1: Map of pP1 vector carrying transposable construct Tn<Apra> fig.1a. Excised transposable construct is 1132 bps in size. It contains two mosaic ends (ME) and a gene conferring resistance to apramycine (Apra) fig.1b.

Figure 2: pPL1 Vector (fig. 2a) that carries the conjugative transposable construct Tn<Apra-oriT> (fig. 2b). The nucleotide sequence of the transposable construct contains an origin of transfer (oriT) and a gene conferring resistance to apramycine (Apra). Direction of DNA transfer at oriT is shown by an arrow.

Figure 3: Transposable construct Tn<Apra-oriT-att-int> (fig. 3a) on vector pPAOI6 (fig. 3b). The transposable construct contains ΦC31 integrase gene and attachment DNA

6

sequence for site specific integration, origin of transfer and gene for selection. The orientation of genes and direction of DNA transfer are marked by arrows.

Figure 4: This figure shows any target DNA suitable for insertion of transposable construct (fig. 4a). Insertion of conjugative and site specific integrative transposable construct Tn<Apra-oriT-int> is shown on fig. 4 b and c. Insertion of transposable construct into selective gene marker carried on original vector is shown on fig. 4b. In this event, the cloned insert is intact and can be transferred to heterologous host. Insertion of transposable construct into cloned DNA insert results in gene inactivation (fig. 4c).

- Figure 5: Complete annotated DNA sequences of clones FS3-124 (a, SEQ ID NO: 1) and FS3-135 (b, SEQ ID NO: 2).
- Figure 6: Morphological differences between *Streptomyces* transconjugant (assay). Conjugations have been performed with FS3-124 modified with transposable construct pPAOI6; (control) conjugation have been performed with pPAOI6.

Detailed Description of the Invention

20

25

5

10

The invention provides novel strategies, methods and products for generating and analysing combinatorial gene libraries. As indicated above, the invention discloses, particularly, methods of analysing libraries of polynucleotides, said polynucleotides being contained in cloning vectors having a particular host range, the methods comprising (i) selecting cloning vectors in the library which contain a polynucleotide having a particular characteristic, (ii) modifying said selected cloning vectors to allow a transfer of said vectors and/or expression of the polynucleotide which they contain into a selected host cell, and (iii) analysing the polynucleotides contained in said modified

7

vectors upon transfer of said modified vectors into said selected host cell, such as by genetic, biochemical, chemical or phenotypical approaches.

Library of polynucleotides

5

10

15

The term "library of polynucleotides" designates a complex composition comprising a plurality of polynucleotides, of various origins and structure. Typically, the library comprises a plurality of unknown polynucleotides, i.e., of polynucleotides whose sequence and/or source and/or activity is not known or characterized. In addition to such unknown (or uncharacterised) polynucleotides, the library may further include known sequences or polynucleotides. Typically, the library comprises more than 20 distinct polynucleotides, more preferably at least 50, typically at least 100, 500 or 1000. The complexity of the libraries may vary. In particular, libraries may contain more than 5000, 10 000 or 100 000 polynucleotides, of various origin, source, size, etc. Furthermore, the polynucleotides are generally cloned into cloning vectors, allowing their maintenance and propagation in suitable host cells, typically in *E. coli*. The polynucleotides in the library may be in the form of a mixture or separated from each other, in all or in part. It should be understood that some or each polynucleotide in the library may be present in various copy numbers.

20

The polynucleotides in the libraries are more preferably obtained or cloned from complex sources of nucleic acids, most preferably from environmental samples. Such libraries are also termed "metagenomic libraries" since they contain nucleic acids derived from whole genomes of complex mixtures of microorganisms.

25

The term environmental sample designates, broadly, any sample containing (a plurality of) uncharacterized (micro)organisms, particularly uncultivated (or non-cultivable) microorganisms. The sample may be obtained or derived from specific organisms, natural environments or from artificial or specifically created environments (e.g.,

industrial effluents, etc). An uncultivated (or non-cultivable) microorganism is a microorganism that has not been purposely cultured and expanded in isolated form. The sample may be obtained or derived from soil, water, mud, vegetal extract, wood, biological material, marine or estuarine sediment, industrial effluents, gas, mineral extracts, sand, natural excrements, meteorits etc. The sample may be collected from various regions or conditions, such as tropical regions, deserts, volcanic regions, forests, farms, industrial areas, household, etc.

Environmental samples usually contain various species of (uncharacterized, marine microorganisms, terrestrial such as microorganisms, uncultivated) microorganisms, salt water microorganisms, freshwater microorganisms, etc. Species of such environmental microorganisms include autotrophe or heterotrophe organisms, Eubacteria, archaebacteria, algae, protozoa, fungi, viruses, phages, parasites, etc. The microorganisms may include extremophile organisms, such as thermophiles, psychrophiles, psychrotophes, acidophiles, halophiles, etc. More specific examples of environmental bacteria includes actinomycetes, eubacteriaes and mycobacteriaes, examples of fungi include phycomycetes, ascomycetes and basidiomycetes, etc. Other organisms include yeasts (saccharomyces, kluyveromyces, etc.) plant cells (algae, lichens, etc), corals, etc. for instance. The sample may comprise various species of such donor (uncultivated) microorganisms, as well as various amounts thereof. The environmental sample may contain, in addition, known and/or cultivable microorganisms (e.g., prokaryotic or eukaryotic), as well as nucleic acids and organic materials. The sample may also contain mammalian cells or animal cells or insect cells (arising from larvae, feces, etc.).

25

5

10

15

20

It should be understood that the present invention is not limited to any specific type of sample or environmental microorganism, but can be used to produce diversity, create nucleic acid libraries, etc., from any environmental sample comprising uncultivated microorganisms. The sample may be wet, soluble, dry, in the form of a suspension,

paste, powder, solid, etc. Preferably, the sample is dry or in solid or semi-solid state (e.g., paste, powder, mud, gel, etc.). The sample may be treated prior to nucleic acid extraction, for instance by washings, filtrating, centrifuging, diluting, drying, etc.

The term "environmental DNA" designates any DNA fragment or collection obtained from an environmental sample. Nucleic acids may be extracted / isolated from the sample according to various techniques, such as those described in WO01/81357, in WO01/40497, in Handelsman et al. (Chemistry & Biology 5(10), 1998, R245), Rondon et al. (Tibtech 17, 1999, 403; Applied and Environm. Microbiol. 66, 2000, 2541), Miller et al (Applied and Environm. Microbiol. 65, 1999, 4715) or Frostegard et al. (Applied and Environm. Microbiol., 65, 1999, 5409).

In a particular embodiment of the above method, the library comprises a plurality of environmental DNA fragments. The library may also comprise other types of nucleic acids, such as environmental RNAs, for instance.

The polynucleotides have a size which is typically comprised between 10 and 100 kb, more preferably between 20 and 80 kb, typically between 30 and 80 kb. Although not mandatory, it is preferred that the polynucleotide fragments in the library all have similar size, to produce homogenous libraries.

Cloning Vectors

15

20

As indicated, the polynucleotides are contained or cloned into cloning vectors. These vectors may be of various types, including plasmids, cosmids, fosmids, episomes, artificial chromosomes, phages, viral vectors, etc. In most preferred embodiments, the cloning vectors are selected from plasmids, cosmids, phages (e.g., P1-derivatives) and BACs, even more preferably from cosmids, P1 derivatives and BACs. By using cosmids or P1 derivatives, it is possible to generate homogenous libraries, since these vectors

essentially accommodate polynucleotides having a size of approximately 40 kb and 80 Kb, respectively. Furthermore, since the invention provides that the vectors are modified after the initial cloning step, the cloning capacity of the vectors is maximized and inserts of as much as 40 and 80 kbs in length can be cloned into cosmids and P1 derivatives.

5

10

15

As indicated the cloning vector has a particular host range, i.e., the ability to replicate in a particular type of host cell. Typically, the host is a bacteria, more preferably an *E. coli* strain. Indeed, *E. coli* is so far the most convenient host cell for performing recombinant technologies. The advantage of the present invention is that the starting library can be produced in any suitable host system of choice, since the properties of the libraries will be adapted later during the process.

Cloning vectors generally comprise the polynucleotide insert and genetic elements necessary and sufficient for maintenance into a competent host cell. They typically contain, in addition to the polynucleotide insert, an origin of replication functional in a selected host cell as well as a marker gene for selection and screening. The cloning vector may comprise additional elements, such as promoter regions, for instance. Although cloning vectors may replicate in several different host cells, they are usually adapted to a particular host cell type and not suitable or efficient for replication or maintenance in other cell types.

20

In a preferred embodiment, the cloning vectors of the library are *E. coli* cloning vectors, preferably cosmids, BAC or P1 derived vectors. *E. coli* cloning vectors may carry an origin of replication derived from naturally-occurring plasmids, such as ColE1, pACYC and p15A, for instance. Many *E.coli* cloning vectors are commercially available and/or can be constructed using available regulatory sequences.

25

11

In step i) of the method, a first selection or screen is performed on the polynucleotide library. The screen is performed so as to identify or select clones having (or lacking) a particular, common characteristic. The selection may be carried out according to various techniques, such as by molecular screening, protein expression, functional screening, etc. A preferred selection is performed by molecular screening. Molecular screening designates any method of identification of molecular or structural characteristics in a polynucleotide sequence. This can be made by a variety of techniques which are known per se, such as hybridisation, amplification, sequencing, etc. Preferably, molecular screening comprises the selection of clones in a library which contain, in their sequence, a particular sequence or region or motif, said sequence or region or motif being characteristic of a particular type of activity or gene (enzyme, biosynthetic pathways, etc.).

In a first variant, the selection is made by contacting the cloning vectors in the library with a particular nucleic acid probe (or set of probes) containing a sequence which is characteristic of a selected activity or function (a consensus sequence, a particular motif, etc.). The cloning vectors in the library which hybridise to the probe (or set of probes) are then selected.

In a second variant, the selection is made by contacting the cloning vectors in the library with a particular pair of nucleic acid primers specific for a sequence which is characteristic of a selected activity or function (a consensus sequence, a particular motif, etc.), and a PCR amplification reaction is performed. The cloning vectors in the library which lead to a positive amplification product are then selected.

25

5

10

15

In this regard, the present application provides new primers designed in conserved motives of the β -keto acyl synthase gene, which are particularly useful for screening polynucleotides containing putative PKS genes or domains. These primers have the following degenerated sequence:

Sense primer: 5'- GGSCCSKCSSTSDCSRTSGAYACSGC-3' (SEQ ID NO: 3)

Antisense primer: 5'- GCBBSSRYYTCDATSGGRTCSCC-3' (SEQ ID NO: 4)

wherein:

R is A or G

5 S is G or C

Y is C or T

K is G or T

D is A or G or T, and

B is C or G or T.

10

A particular object of this invention is a polynucleotide primer having one of the above sequences, typically a mixture of different polynucleotide primers having a sequence corresponding to one of the above degenerated sequences. A particular object of this invention also resides in a pair of primers each having one of the above sequences.

15

Once particular clones have been selected, the analysis of their polynucleotides needs to be confirmed and/or validated, and/or their polynucleotides can be used to produce novel compounds or metabolites.

20

The invention now enables such further analysis and uses, by allowing a modification of the cloning vectors that is specific and adaptable by the skilled person, depending on the activity which is sought. In particular, it is possible to confer properties such as specific expression or a novel, specific host range to the selected cloning vectors, to assess their activity, as disclosed below.

25

Modification of the cloning vectors

After high efficiency cloning using most convenient cloning vectors such as BACs or cosmids propagated into E. coli, and after the identification, selection and/or

characterisation of cloned DNA fragments, the invention now allows to modify specifically the cloning vectors to transfer, maintain, express and/or over-express the selected polynucleotides into any selected host expression system, which is suitable to assess the selected activity or property. Such selected hosts may be native or heterologous host cells, and include, but are not limited to, for example *Streptomyces*, *Nocardia*, *Bacillus*, fungi, yeasts, etc.

5

10

15

20

25

The selected cloning vectors of the library may be modified according to various techniques. The modification is typically a genetic modification, comprising the introduction of particular genetic sequences into the structure of the cloning vector, in addition to or in replacement of sequences contained in said vector. It is highly preferred to use specific or targeted (or oriented) techniques to improve the efficacy of the method. By "specific" is meant that the modification occurs at a pre-determined location in the cloning vector, through site-specific mechanisms. By "targeted" is meant that the modification occurs in a controlled way, so as not to alter the polynucleotide insert contained in the vector in a non-desirable way.

In a preferred embodiment, the selected vectors are modified by insertion, into the vector, of a target polynucleotide construct which contains genetic elements conferring the selected property(ies) to the cloning vector.

The target polynucleotide construct typically comprises the genetic elements necessary to transfer, propagate, maintain, express or overexpress the cloned polynucleotide into a chosen (bacterial) host expression system. Said genetic elements may include particular origin(s) of replication, particular origin(s) of transfer, particular integrase(s), transcriptional promoter(s) or silencer(s), either alone or in combination(s).

In a first, preferred variant, the target polynucleotide construct comprises a genetic element allowing transfer of the vector into a selected host cell.

Natural DNA transfer mechanisms between donor and recipient strains is known under the term conjugation or conjugative transfer. Conjugative transfer can occur between different strains of the same species as well as between strains of different species. Many naturally occurring plasmids carry so called tra genes, which are involved in and mediate conjugative transfer. The DNA transfer starts at specific DNA structures, known as an origin of transfer or "ori T". The presence of such an oriT in a vector allows said vector to be transferred into a desired host cell.

5

20

30

10 In a particular, preferred embodiment, the target polynucleotide construct comprises an origin of transfer functional in the selected host cell, more particularly in a Streptomyces or Bacillus host cell.

The structure of various oriT has been reported in the art (Guiney et al. 1983; Zechner et 15 al. 2000). In a specific embodiment, the origin of transfer is selected (or derived) from RP4, pTiC58, F, RSF1010, ColE1 and R6K(α).

A specific example of an oriT which can be used in the present invention derives from plasmid RP4 and has or comprises all or a functional part of the following sequence (SEQ ID NO: 5):

gatetGTGATGTACTTCACCAGCTCCGCGAAGTCGCTCTTCTTGATTGGAGCGCATGGG GACGTGCTTGGCAATCACGCGCACCCCCGGCCGTTTTAGCGGCTAAAAAAGTCATG GCTCTGCCCTCGGGCGACCACGCCCATCATGACCTTGCCAAGCTCGTCCTGCTTCT 25 CTTCGATCTTCGCCAGCAGGGCGAGGATCGTGGCATCACCGAACCGCGCCGTGCGC GGGTCGTCGGTGAGCCAGAGTTTCAGCAGGCCGCCCAGGCGGCCCAGGTCGCCATT GATGCGGGCCAGCTCGCGGACGTGCTCATAGTCCACGACGCCCGTGATTTTGTAGCC CTCAATCGCTCTTCGTCTGGAAGGCAGTACACCTTGATAGGTGGGCTGCCCTT CCTGGTTGGCTTGCTTACGCCGGCGGTA GCCGGCCAGCCTCGCAGAGCAGGATTCCCGTTGAGCACCGCCAGGTGCGAATAAGG GACAGTGAAGAAGGAACACCCGCTCGCGGGTGGGCCTACTTCACCTATCCTGCCCG GCTGACGCCGTTGGATACACCAAGGAAAGTCTACACGAACCCTTTGGCAAAATCCT

GTATATCGTGCGAAAAAGGATGGATATACCGAAAAAATCGCTATAATGACCCCGAA GCAGGGTTATGCAGCGGAAAAGATCCGTCGGATCT

The term "functional part" designates any fragment or variants of the above sequence which retain the capacity to cause conjugative transfer. Such fragments typically comprise at least 80%, preferably at least 85% or 90% of the above sequence. Variants may include one or several mutations, substitutions, deletions or additions of one or several bases.

In an other particular variant, the target polynucleotide construct comprises a genetic element allowing integration of the vector into the genome of the selected host cell.

A donor DNA is permanently or stably maintained and expressed in a selected recipient cell if it is integrated into the recipient cell's genome or if it contains elements that allow autonomous replication in said cell.

Integration is a preferred way of ensuring stable expression. Integration can be obtained by physical recombination. Recombination can be homologous, e.g., between two homologous DNA sequences, or illegitimate, where recombination occurs between two non-homologous DNAs. As a particular example, integration of donor DNA into the chromosome of the recipient can be mediated by host recombination repair system or by site-specific recombination. Another well-studied process that can transfer and integrate genes is transduction by bacterial viruses, such as λ and ϕ C31. In a phage-infected bacterial cell, fragments of the host DNA are occasionally packaged into phage particles and can then be transferred to a recipient cell. Integration into the recipient cell's genome is caused by an integrase.

In a specific embodiment, the target polynucleotide construct comprises a nucleic acid encoding an integrase functional in the selected host cell. More preferably, the integrase is selected from λ and ϕ C31 integrases. In a specific embodiment, the polynucleotide

30

5

15

20

25

construct comprises a nucleic acid encoding an integrase having or comprising all or a functional part of the following sequence of the ϕ C31 integrase (SEQ ID NO: 6):

AGATCTCCCGTACTGACGGACACACCGAAGCCCCGGCGGCAACCCTCAGCGGATGC CCCGGGGCTTCACGTTTTCCCAGGTCAGAAGCGGTTTTCGGGAGTAGTGCCCCAACT 5 GGGGTAACCTTTGAGTTCTCTCAGTTGGGGGCGTAGGGTCGCCGACATGACACAAG GGGTTGTGACCGGGGTGGACACGTACGCGGGTGCTTACGACCGTCAGTCGCGCGAG CGCGAGAATTCGAGCGCAGCAAGCCCAGCGACACAGCGTAGCGCCAACGAAGACA AGGCGGCCGACCTTCAGCGCGAAGTCGAGCGCGACGGGGGCCGGTTCAGGTTCGTC GGGCATTTCAGCGAAGCGCCGGGCACGTCGGCGTTCGGGACGGCGGAGCGCCCGGA 10 GTTCGAACGCATCCTGAACGAATGCCGCGCCGGGCGGCTCAACATGATCATTGTCTA TGACGTGTCGCGCTTCTCGCGCCTGAAGGTCATGGACGCGATTCCGATTGTCTCGGA ATTGCTCGCCCTGGGCGTGACGATTGTTTCCACTCAGGAAGGCGTCTTCCGGCAGGG AAACGTCATGGACCTGATTCACCTGATTATGCGGCTCGACGCGTCGCACAAAGAATC TTCGCTGAAGTCGGCGAAGATTCTCGACACGAAGAACCTTCAGCGCGAATTGGGCG 15 GGTACGTCGGCGGAAGGCGCCTTACGGCTTCGAGCTTGTTTCGGAGACGAAGGAG ATCACGCGCAACGGCCGAATGGTCAATGTCGTCATCAACAAGCTTGCGCACTCGACC ACTCCCCTTACCGGACCCTTCGAGTTCGAGCCCGACGTAATCCGGTGGTGGTGGCGT GAGATCAAGACGCACAAACACCTTCCCTTCAAGCCGGGCAGTCAAGCCGCCATTCA CCCGGGCAGCATCACGGGGCTTTGTAAGCGCATGGACGCTGACGCCGTGCCGACCC 20 GGGGCGAGACGATTGGGAAGAAGACCGCTTCAAGCGCCTGGGACCCGGCAACCGTT ATGCGAATCCTTCGGGACCCGCGTATTGCGGGCTTCGCCGCTGAGGTGATCTACAAG AAGAAGCCGGACGCCGACCACGAAGATTGAGGGTTACCGCATTCAGCGCGA CCCGATCACGCTCCGGCCGGTCGAGCTTGATTGCGGACCGATCATCGAGCCCGCTGA 25 GGGGCAAGCCATTCTGTCCGCCATGGACAAGCTGTACTGCGAGTGTGGCGCCGTC ATGACTTCGAAGCGCGGGGAAGAATCGATCAAGGACTCTTACCGCTGCCGTCGCCG GAAGGTGGTCGACCCGCACCTGGGCAGCACGAAGGCACGTGCAACGTCAGCA TGGCGCACTCGACAAGTTCGTTGCGGAACGCATCTTCAACAAGATCAGGCACGCC GAAGGCGACGAAGACGTTGGCGCTTCTGTGGGAAGCCGCCCGACGCTTCGGCAA 30 GCTCACTGAGGCGCCTGAGAAGAGCGGCGAACGGGCGAACCTTGTTGCGGAGCGCG GACGGACCCGTTGGCAGGAAGCACTTCCGGAAGCAACAGGCAGCGCTGACGCTCCG GCAGCAAGGGGCGGAAGAGCCGCGAAGCCCCGAAGCCCCGAAG CTTCCCCTTGACCAATGGTTCCCCGAAGACGCCGACGCTGACCCGACCGGCCCTAAG 35 TCGTGGTGGGGGCGCGTCAGTAGACGACAAGCGCGTGTTCGTCGGGCTCTTCGTA GACAAGATCGTTGTCACGAAGTCGACTACGGGCAGGGGGCAGGGAACGCCCATCGA CCCAGGACGCACGGAAGACGTAGCGGCGTAGCGAGACACCCG

40

In a more preferred variant, the target polynucleotide construct comprises genetic elements allowing transfer of the cloning vector into the selected host cell and integration of the cloning vector or a portion thereof into the genome of the selected host

cell. Most preferred polynucleotide constructs comprises an oriT and a nucleic acid encoding an integrase.

In an other variant, the target polynucleotide construct comprises an origin of replication specific for or functional in the selected host cell. The origin of replication may be selected (or derived), for instance, from pAM β 1, pSa, 2 μ m circle, pSam2, pSG1, pIJ101, SCP2, pA387 and artificial chromosomes.

In an other variant, the target polynucleotide construct comprises a transcriptional promoter functional in the selected host cell. As indicated above, in a particular variant, the invention allows to modify the cloning vector to enable expression or over-expression of the cloned polynucleotides in the selected host. The expression of genes is driven mainly by transcriptional promoters, which initiate gene transcription. The type of promoter to be used in the present invention can be selected by the skilled person, depending on the selected host cell and type of expression needed. Promoters may be ubiquitous or cell-specific, regulated or constitutive, weak or strong. They may be of various origins, including promoters isolated from viruses, phages, plant cells, bacterial genes, mammalian genes, etc., or they may be artificial or chimeric. Typical examples of promoters include T7, T4, LacZ, trp, ara, SV40, tac, λPL, GAL, AOX, hsp-70, etc.

20

5

10

15

The target polynucleotide construct is typically a DNA molecule, although RNAs may also be used as starting material. It is typically a double-stranded DNA. The target polynucleotide construct may be produced by conventional recombinant DNA techniques, including DNA synthesis, cloning, ligation, restriction digestion, etc. and a combination thereof.

25

The target polynucleotide construct is preferably engineered so as to be inserted in a region of the vector distinct from the polynucleotide. Indeed, it is important that the integrity of the polynucleotides is preserved. Directed insertion may be accomplished in

a variety of ways, including site-specific insertion using particular enzymatic systems (Cre/Lox, FLP, etc.), homologous recombination with particular target sequences present in the vector, or by the use of transposons or transposable elements and appropriate selection means.

5

10

15

20

In a particular, preferred embodiment, the target polynucleotide construct is contained in a transposable nucleic acid construct. Indeed, in a preferred variant, the methods of the present invention use transposable elements to alter the properties of the cloning vectors, and allow their transfer, maintenance, expression or over-expression in a selected host cell.

Transposable nucleic acid constructs are derived from transposons, which are genetic elements capable of moving from one genetic loci to another. Two main classes of transposons have been identified in bacteria. The most simple transposons comprise an insertion sequence that carries only elements of transposition. These elements are two inverted DNA repeats and a gene that codes for a protein called transposase. The transposase catalyses the excision and integration of the transposon. It has been shown that the excision and integration reaction can be catalysed in trans by a transposase, which can be provided in vivo or in vitro in purified form or expressed from a different construct. More complex transposons carry more insertion sequences and additional genes that are not involved in transposition.

Transposable nucleic acid constructs of this invention thus typically comprise, flanked by two inverted repeats, the target polynucleotide construct and, more preferably, a marker gene. In the presence of a transposase, these transposable nucleic acid constructs can integrate into a cloning vector in vivo or in vitro, thereby providing for targeted polynucleotide insertion. Alternatively, such nucleic acid constructs can be used for targeted integration, in the absence of a transposase, in particular strains such as hypermutator strains. Such transposable nucleic acid constructs also represent a

particular object of the present application. In this regard, in a more preferred embodiment, the invention also relates to a transposable nucleic acid construct, wherein said construct comprises an origin of transfer flanked by two inverted repeats. Specific examples of such construct are transposons pPL1 and pPAOI6, as disclosed in the experimental section. The transposable nucleic acid construct may further comprise an integrase gene and/or a marker gene.

5

10

25

The inverted repeat nucleic acid sequences may be derived from the sequence of various transposons, or artificially created. In particular, transposable elements can be generated using inverted repeats obtained from transposons or transposable elements such as Tn5, Tn21, miniTn5, T7, T10, Tn917, miniTn400, etc. Preferably, the sequences derive from transposon Tn5. In a specific embodiment, they comprise all or a functional part of the following sequences:

- left arm of pPAOI6 transposon (SEQ ID NO: 7)
 CTGTCTCTTATACACATCTCAACCATCATCGATGAATTTTCTCGGGTGTTCTCGCATA
 TTGGCTCGAATTCGAGCTCGGTACCC
- right arm of transposon pPAOI6 (SEQ ID NO: 8)
 GATCCTCTAGAGTCGACCTGCAGGCATGCAAGCTTGCCAACGACTACGCACTAGCCAACGAGCTTCAGGGTTGAGATGTGTATAAGAGACAG

The marker gene may be any nucleic acid encoding a molecule whose presence in a cell can be detected or visualized. Typical marker genes encode proteins conferring resistance to antibiotics, such as apramycine, chloramphenicol, ampiciline, kanamycine, spectinamycine, thiostrepton, etc. Other types of markers confer auxotrophy or produce a label (e.g., galactosidase, GFP, luciferase, etc).

In a specific embodiment, the cloning vector in the library comprises a first marker gene and the modification step ii) comprises:

. contacting in vitro, in the presence of a transposase, the selected cloning vectors with a transposon comprising, flanked by two inverted repeats, the target polynucleotide construct and a second marker gene distinct from the first marker gene, and

. selecting the cloning vectors which have acquired the second marker gene and which have lost the first marker gene.

The double selection ensures that the target polynucleotide construct has been inserted at a site within the marker gene present in the cloning vector, i.e., outside of the polynucleotide insert.

10

15

20

5

It should be understood that the modification may be accomplished in various other ways, particularly by incorporating a sequence coding for the transposase directly into the transposable element or into another expression unit. The presence and expression of the transposase can be regulated by inductive promoter or termosensitive replicative units. Also, transposition can be carried out by *in vitro* process.

Analysis of the polynucleotides

In step (iii) of the process, the polynucleotides may be analysed by various methods, including by genetic, biochemical, chemical or phenotypical approaches, which are well known per se in the art. Analysis occurs upon transfer and, optionally, expression of the polynucleotides into the selected host cell.

In this regard, the modified cloning vectors can be transferred into the selected host cell by a variety of techniques known in the art, including by transformation, electroporation, transfection, protoplast fusion, conjugative transfer, etc. In a preferred embodiment, the target polynucleotide construct comprises an oriT and the modified vectors are transferred into the selected host cells by conjugative transfer. In this embodiment, the

cloning vector and the selected host cells are co-cultivated and the recombinant host cells are selected and isolated.

The selected host cell may be any type of cell or microorganism, including, without limitation, Steptomyces, E. coli, Salmonella, Bacillus, Yeast, fungi, etc.

One of the objectives of the invention is to be able to analyse environmental DNAs of unknown cellular origin into different host expression systems. In order to analyse the potentiality of the DNAs at the transcription and/or translation levels and to have much more probabilities to have a DNA expression, it is important to have the possibility to test different host expression systems.

10

15

20

25

Insertion of foreign DNA into host expression systems like *Streptomyces* can produce, for instance, an increase in doubling time, morphological modifications, pigments production, etc. which can be related either directly to the expression of foreign DNA or by combinatorial biology of the foreign DNA and the biology of the expression host systems. The new characters can be analysed by all techniques known in the art such genetic, biochemical, chemical, phenotypic approaches etc...

In a preferred, specific embodiment, the invention relates to a method for the identification or cloning of polynucleotides encoding a selected phenotype, the method comprising (i) cloning environmental DNA fragments into *E. coli* cloning vectors to produce a metagenomic library, (ii) identifying or selecting cloning vectors in said library which contain DNA fragments having a particular characteristic of interest, (iii) modifying the identified or selected cloning vectors into shuttle or expression vectors for transfer or expression in a selected host cell, (iv) transferring or expressing the modified cloning vectors into said selected host cell and (v) identifying or cloning the DNA fragments contained in said modified cloning vectors which encode said selected phenotype in said selected host cell.

By applying the above method, new polynucleotide sequences have been identified, cloned and characterized, which produce new phenotypes in bacteria. These polynucleotides contain the sequence of PKS genes and encode polypeptides involved in biosynthetic pathways. The sequence of these polynucleotides is provided in Figure 5. The invention also relates to any polynucleotide sequence comprising all or part of these sequences (i.e., SEQ ID NOs: 1 or 2), their complementary strand, or a functional variant thereof. A part of the above sequences includes, preferably, at least 20 consecutive bases, more preferably at least 50 consecutive bases thereof, even more preferably a coding sequence (e.g., an ORF). In this respect, SEQ ID NOs: 1 and 2 comprise several novel open reading frames encoding novel polypeptides involved in biosynthetic pathways. These coding sequences are identified in Figures 5a and 5b.

5

10

In a specific embodiment, the invention relates to a polynucleotide sequence comprising

15 a sequence selected from nucleotides 76 - 1134; 1096 - 2430; 1178 - 1624; 2506
3567; 2906 - 4222; 4092 - 5321; 6337 - 8502; 8181 - 9530; 9531 - 10721; 10504
11274; 12874 - 13689; 14195 - 15976; 15427 - 16512; 15579 - 16253; 16505 - 17656

; 17657 - 18697; 18615 - 19304; 19301 - 20596; 20535 - 21476; 22025 - 22951;

23155 - 26523; 26409 - 34433; 34418 - 37500 and 35359 - 37500 of SEQ ID NO: 1

20 (figure 5a) or a complementary strand thereof.

In an other specific embodiment, the invention relates to a polynucleotide sequence comprising a sequence selected from nucleotides 3 - 914, 924 - 2168; 2207 - 3190; 3373 - 4455; 4546 - 4959; 5176 - 6192; 6331 - 14043; 14275 - 15408; 15436 - 16245; 16287 - 17384; 17427 - 18158; 18248 - 18847; 18952 - 20346; 20442 - 21167; 21164 - 24301; 24351 - 27023; 27806 - 29686; 29535 - 30872; 30848 - 32647; 32574 - 35555; 35533 - 36598 and 36516 - 37400 of SEQ ID NO: 2 (figure 5b) or a complementary strand thereof.

The invention also relates to any vector comprising these polynucleotide sequences. These sequences may be DNA or RNA, preferably DNA, even more preferably double-stranded DNA. The invention also relates to a polypeptide encoded by a polynucleotide sequence as defined above.

5

10

15

20

An other object of this invention resides in a library of polynucleotides, wherein said library comprises a plurality of environmental DNA fragments cloned into cloning vectors, wherein said environmental DNA fragments contain a common molecular characteristic and wherein said cloning vectors are *E. coli* cloning vectors comprising a target polynucleotide construct allowing transfer or expression of the environmental DNA into a selected host cell distinct from *E. coli*.

The sub-DNA-libraries should have either desired genetic characteristics based on high or low GC content, DNA encoded for a desired enzymatic activity, part or full biosynthetic pathways for metabolites etc., or specific origin such as soil fractions, animal organs, sub fraction of a microorganism community etc. The invention also allows to produce conjugative vector with desired characteristics in accordance with the characteristics of the pre-identified sub-DNA-libraries and functional analysis of mutants in heterologous hosts. It can also be used, without limitation, for the production of mutants by random or directed mutagenesis, for DNA sequencing, genes or biosynthetic pathways knock-out by deletion or insertion or to confer transfer capabilities for expression, co-expression, over-expression or modification of biosynthetic pathways.

Further aspects and advantages of the invention will be disclosed in the following examples, which should be regarded as illustrative and not limiting the scope of this application.

Experimental Section

In this work, we constructed a fosmid library in *E. coli* from DNA prepared directly from soil. We screened the library for presence of biosynthetic pathways. We developed genetic tools for functional genomics that allow gene inactivation and horizontal gene transfer from *E. coli* to *Streptomyces*.

5

10

15

The cloning vectors in the library contain ColE1 replicon for propagation in *E. coli*. Transposable elements based on Tn 5 transposon were produced and used for *in vitro* (or *in vivo*) modification of selected cloning vectors. Integrated transposable elements contain gene for resistance to apramicyne. Conjugative derivatives were constructed by incorporating origin of transfer from plasmid RP4. A conjugative and site specific integrative transposon was also constructed comprising the integrase gene from ϕ C31 phage, including attP attachement site. Conjugal transfer was demonstrated from an appropriate *E. coli* donor cell to another *E. coli* or *Streptomyces lividans* recipient cell. Constructed transposon was tested for inactivation of the genes cloned into fosmids. Obtained mutants can be used for direct sequencing by adequate primers and transferred by conjugation into *Streptomyces lividans*. Transposable elements thus represent very useful tools for functional analysis of a large DNA libraries cloned into BAC, PAC fosmids or other cloning vectors in which cloned inserts must be transferred into heterologous host.

20 Materials and methods

Bacterial strains, plasmids and growth conditions.

E. coli DH10B (F- mcrA delta(mrr-hsdRMS-mcrBC) phi80dlacZ deltaM15 delta lacX74 deoR recA1 endA1 araD139 delta (ara, leu)7697 galU galK lambda- rpsL nupG), strain (Epicentre) was used for fosmid and plasmid transformation and DNA amplification.

Unless specifically described, all DNA manipulations were performed according to Sambrook, J., et al, (1989).

Soil DNA extraction and DNA libraries construction.

Total bacterial community DNA was extracted and large DNA libraries have been constructed into fosmids according to the method described in WO 01/81357.

Fosmid DNA extraction and Purification

5

10

15

20

25

Fosmids DNA containing soil librairy were extracted from pools of 96 clones. Culture of recombinant clones were performed in Deep-Well 96 and 48, respectively in 1 ml and 2 ml of LB media containing 12,5 µg ml⁻¹ of chloramphenicol. Cultures were grown at 37°C with shaking at 250 RPM during 22 hours. DNA extraction was done by using the Nucleobond PC100 extraction kit (Macherey Nagel).

PCR screening for the detection of PKS genes

Primers design

Degenerate PCR primers sets were designed to specifically amplify PKS nucleic sequences. Multiple sequence alignment of PKS domains revealed highly conserved motives, in particular in the β-keto acyl synthase domain. Primers Lib1F and Lib2R were designed in conserved motives of the β-keto acyl synthase gene. Lib1F (sense primer, 5'- GGSCCSKCSSTSDCSRTSGAYACSGC -3') and Lib2R (antisense primer, 5'- GCBBSSRYYTCDATSGGRTCSCC -3') were deduced from β-keto acyl synthase GP(AS)(LV)(AST)(IV)DTAC and GDPIE(TVA)(RAQ)A, sequences peptide respectively. The specific fragment amplified with Lib1F / Lib2R was approximately about 465 bp (corresponding to 155 amino acids). Specificity and efficiency of the PCR systems were validated by testing on positive DNA controls (i.e. genomic DNA from type I PKS producing strain such as Bacillus subtilis, Streptomyces lividans, Streptomyces ambofaciens and Ralstonia solanocearum) and negative DNA controls (genomic DNA from strains which are known to do not contain PKS genes). Furthermore, DNA extracted from soil samples were tested to calibrate PCR techniques.

PCR conditions were optimised, in particular for concentrations of DMSO, MgCl₂, Primers and DNA quantities. For PCR using microorganism genomic DNA and soil DNA as template (50 to 200 ng), the PCR mix (50μl) contained 250μM of dNTP, 5 mM MgCl, final, 2,5% DMSO, 1X PCR buffer, 0,75 µM of each primer and 2,5 U of Taq DNA polymerase (Sigma) and sterile distilled water. For PCR using fosmid pooled DNA as template (100 to 500 ng), the PCR mix (50µl) contained 250µM of dNTP, 5 mM MgCl, final, 5% DMSO, 1X PCR buffer, 0,75 µM of each primer and 2.5 U of Taq DNA polymerase (Sigma) and sterile distilled water. For identification of positives clones in 96 microtiter plates, 25 µl of each bacteria culture were used as template and PCR conditions were the same as above. Thermocycling program was: a denaturation step at 96°C for 5 minutes; then 1 minute at 96°C, 65°C for 1 minute, 72°C for 1 minute. The first 7 cycles, the annealing temperature was lowered 1°C per cycle until 58°C was reached. A subsequent 40 cycles were carried out with the annealing temperature at 58°C. A final extension step was at 72°C for 7 minutes. For identification of positives clones in 96 microtiter plates, the first denaturation step of 96°C was during 8 minutes. The other steps were the same as described above. PCR reactions were performed with a PTC 200 thermocycler (MJ Research).

PCR products analysis

5

10

15

20 PCR products of about 465 bp were purified on agarose gel with gel extraction Kit (Qiagen) according to the manufacturer recommendations. First approach consisted in subcloning PCR products using the Topo PCR II kit (Invitrogen). Recombinant Plasmids were extracted using QIAprep plasmid extraction Kit (Qiagen) and sequenced with Forward and Reverse M13 primers with CEQ 2000 automated sequencer (Beckman Coulter). Second approach consisted in direct sequencing of PCR products. Sequencing data were compared with nucleic and proteic genbank database using BLAST program.

Sequencing of the identified fosmid insert DNA and sequence analysis

Fosmids inserts were sequenced using either a transposon-mediated and by shotgun subcloning approach. Transposition was realized by using (Transposition Kit) commercialized by Epicentre according to the manufacturer. For shotgun subcloning, transformants were grown for 16 hours at 37°C. Fosmid extraction was done by using the Nucleobond PC100 extraction kit (Macherey Nagel). DNA was partially restricted with Sau3A and sized on standard gel electrphoresis for fragments ranging from 1 to 3 Kbs and cloned into Bluescript vector according to Sambrook et al. (1989).

Sequence analysis was performed with the identification of ORFs by using Frameplot of the GC3. Each identified ORF was compared to gene databases by using BLAST program. PKS domains were determined by aligning obtained sequence versus already described PKS domains from domain databases.

Sequencing

Sequencing reactions were performed with 1 μg of DNA and 3.6 pmol of primer, using CEQ 2000 Dye Terminator Cycle Sequencing kit (Beckman Coulter) under conditions proposed by supplier. Ten μL of reaction products were precipitated using 4 μL of solution containing 1.5 M NaOAc, 50 mM EDTA and 60 μL cold 95% ethanol/dH₂O from -20 °C. The pellet was washed 2 times with 200 μL 70% ethanol/dH₂O, vacuum dried and dissolved in 40 μL sample loading solution (supplied in kit). Sequencing reactions were run on an CEQ 2000 sequencer (Beckman Coulter).

20

25

15

5

10

Plasmids construction and validation

Plasmid pP1 was constructed as follows. A 941 bp DNA fragment containing native promoter region and AA(3)IV gene was amplified by polymerase chain reaction (PCR) using primers AmF (d-CCCTAAGATCTGGTTCATGTGCAGCTCCATC, SEQ ID NO: 9) and AmR (d-TAGTACCCGGGGATCCAACGTCATCTCGTTCTCC, SEQ ID NO: 10). One hundred microlitre reaction were performed containing 0.1μM each of primers, 1 X Vent DNA polymerase buffer (NEB), 0.2 μM of each deoxyribonucleoside triphosphate (dNTP), 50 ng of the DNA template and 2U of Vent DNA polymerase

(NEB). PCR mixture was heated for 4 min at 94 °C in a PTC-200 thermocycler (Peltier) and cycled 25 x at 94 °C for 60 sec, 59 °C for 30 sec and at 72 °C for 70 sec. The final extension was performed at 72 °C for 7 min.

PCR product was purified using GFX DNA purification kit (Amersham), then digested by Bgl II and Sma I restriction enzymes. A 941 bp BglII/SmaI fragment was inserted into the Bam HI, Sma I sites of pMOD plasmid (EPICENTRE). DH10B E. coli was transformed with pP1 and subjected to apramicyne selection on LB agar plates. Six colonies surviving on apramicyne selection were grown in liquid LB media and final pPL1 candidates were thoroughly checked via PCR and restriction mapping.

10

15

5

To construct conjugative plasmid pPL1, 750 bp oriT DNA region from plasmid RP4 were amplified via PCR using primers oriTF (d-GCGGTAGATCTGTGATGTACTTCACCAGCTCC, SEQ ID NO: 11) and oriTR (TAGTACCCGGGGATCCGACGGATCTTTTCCGCTGCAT, SEQ ID NO: 12). PCR conditions were as above. Amplified DNA was digested using *Bgl* II and *SmaI* restriction enzymes. *BglII/SmaI* DNA fragment was subjected to purifiation after gel electophoresis on 0.7% agarose. Purified fragment was ligated into pP1 plasmid digested by *Bam* HI and *Sma* I restriction enzymes.

φ C31 integrase gene and attachment site (attP) was amplified via PCR using primers
Fint (d-AACAAAGATCTCCCGTACTGACGGACACACCG, SEQ ID NO: 13) and PJ
(d-CGGGTGTCTCGCATCGCCGCT, SEQ ID NO: 14). Amplified DNA fragment was
purified by GFX kit (Amersham) and phosphorilated using T4 polynucleotide kinase
(NEB) under conditions recommended by the enzyme manufacturer. Phosphorilated
DNA fragment was cloned in to pPL1 vector opened with Smal restriction enzyme
(NEB) and dephosphorilated by calf alkaline phosphatase (NEB). DH10B E coli was
transformed with ligation mixture using Bio Rad Pulsing apparatus and protocols
provided by Bio-Rad. Twelve transformants were analyzed by PCR for the presence of

integrase gene. Orientation of integrase gene was verified by restriction analysis using Bgl II and EcoRI restriction enzymes. Resulting plasmid was named pPAOI6.

To construct pPAOI6-A plasmid, pPAOI6 plasmid was digested with *Eco*RI and *Bgl*II restriction enzymes followed by digestion by Bean mung nuclease (NEB). Linearised plasmid was self ligated and transformed in to DH10B cells.

Plasmid preparation of fosmid DNA

Fosmid and BAC DNA for sequencing was prepared by using the Nucleobond AX kit (Macherey-Nagel), following protocol for BACs, Cosmid as specified by manufacturer.

Mutagenesis

5

20

25

Transposon Tn-pPAOI6 was prepared by digestion of pPAOI6 plasmid using PvuII restriction enzymes, followed separation on agarose gel and purification of fragment containing transposon from gel using Qiagen kit. The same molar ratio of transposon and corresponding fosmid was used for mutagenesis in vitro using Tn5 transposase (Epicentre) and conditions specified by manufacturer. We transformed aliquot of the transposed mixture by electroporation into competent DH10B E. coli strain.

Conjugation E. coli-Streptomyces lividans TK24

Conjugation experiments were done using 6 x 10⁶ E coli S17.1 cells containing conjugative plasmids or fosmids. The E coli cells were grown in LB media with adequat antibiotic. The cells were collected by centrifugation, washed two times using same volume of LB media and concentrated to 10⁸ cells/ml and overlaid on LB plates containing 2x 10⁶ pregeminated Streptomyces lividans TK24 spores. The cells mixture were grown over night at 30⁰ C and E. coli cells were washed three times using 2 ml of LB media. The plates were overlayed using top agar containing NAL (nalidixic acid) and the appropriated antibiotic. Plates were incubated for 4 days at 30°C and transformant streptomyces colonies were isolated on HT medium (Pridham et al. 1957) containing NAL and the same appropriated antibiotic.

Results

5

10

15

.20

25

Construction of a Transposon Tn <Apra>.

E. coli aminoglycoside -(3)- acetyl transferase IV gene (aa(3)IV) was amplified by PCR and cloned in pMOD vector (Epicentre). Advantage of this selective marker allow positive selection in E. coli and in Streptomyces lividans. Transposon can be used for insertional inactivation in vitro using purified transposase Tn5 (Epicentre). The structure of the pP1 constructed vector and transposon was shown on Figure 1a,1b.

Construction of a conjugative plasmid-transposon.

Conjugative vector, transposon was constructed by cloning origin of transfer from plasmid RP4 into pP1 vector producing pPL1 vector (Figure 2a, 2b). The origin of transfer was cloned in such orientation that the selective aa(3)IV gene is the last transferred during conjugation. PPL1 vector was introduced in to specific *E. coli* S17.1 strain that carry RP4 plasmid integrated in to chromosome. In conjugation experiment between donor strain S17.1 carrying pPL1 plasmid and DH10 *E coli* receptor we obtained DH10B strain carrying pPL1 plasmid. This data shows that cloned oriT fragment is functional in the pPL1 plasmid. Plasmid pPL1 can be used for DNA cloning, gene inactivation by homologous recombination. Cloned genes or part of the gene cloned could be then transferred by conjugation in to another host. Another advantage of this vector is conjugative transposon that can be excised from vector and inserted randomly in vivo in to another DNA molecule by purified Tn 5 transposase.

Construction of a conjugative, site specific integrative plasmid- transposon for horizontal gene transfer between *E. coli* and *Streptomyces* strains.

PPL1 plasmid was used to clone an integrase gene from phage φC31, resulting a plasmid pPAOI6 (Figure 3a, 3b). We tested several clones for horizontal transfer between *E. coli* S17.1 strain and *Streptomyces lividans* TK24 strain. The best transfer was obtained for plasmid pPAOI6 were orientation of integrase gene is in opposite orientation to the gene for resistance to apramycine. Conjugative transfer of pPAOI6 gene in to *S. lividans*

strain is confirmed by resistance to apramycine or G418. Additional confirmation of transfer was obtained using PCR method. We were able to amplify 2 kb insert using specific primers for the φC31 integrase gene, and no PCR amplification was obtained for control S. lividans TK24 strain.

The goal of this construction was to produce transposon that is further used in functional analysis of the metagenomic DNA library from the soil that was constructed in a laboratory (Figures 4a, 4b, 4c).

Functional analysis of the metagenomic DNA library from soil.

10

15

20

25

The fosmids library consists of 120 512 clones, containing ~ 40 kb inserts of soil DNA. The library contains approximately 4.8 Gbps of the DNA cloned from soil. Ten percents of the library was screened by using a PCR approach for the presence of the genes involved in production of secondary metabolites (PKS). Using gene-module specific set of primers we were able to identified positive clones organized in microtiter plates (96 wells). Sequences (based on PCR products) obtained from fifteen randomly positive clones indicate that the DNA library contains very little sequence redundancy limited to one and that the sequences were found to be new and very diverse in comparison to gene databases (data not schown).

Two fosmids DNA was prepared from two positive clones (FS3-124 and FS3-135) and analyzed by sequencing. DNA analysis *in silico* shows high G+C contents of 72% and 69% respectively of the cloned inserts and presence of cluster genes that could be involved in biosynthesis of secondary metabolites (Fig 5 a and b). No specific phenotype was observed for the two clones in *E coli*. We employed pPAOI6 transposon mutagenesis to produce conjugative mutants. Transposon mutants FS3-124::pPAOI6 and FS3-135::pPAOI6 were isolated using apramycine as selective antibiotic. Obtained mutants were then tested on LB pates containing chloramphenicol. About 1% of the tested clones are chloramphenicol sensitive. These clones contain transposon inserted into locus encoding chloramphenicol resistance gene and not into cloned DNA insert. ApraR and ChloS transposon mutants are then used for horizontal gene transfer into

Streptomyces lividans TK24 strain. Fosmid DNA was prepared from mutants and transformed into E. coli S17.1 strain. Horizontal gene transfer between E. coli S17.1 and Streptomyces lividans was done due to inserted pPAOI6 transposon. Transconjugants of the Streptomyces lividans were tested by PCR to confirm gene transfer and integration of the conjugative fosmid in to S. lividans chromosome. Both transconjugants showed an increase in doubling time, morphological modifications and pigments production in comparison to the control (Figure 6).

References

Brau, B., Pliz, U., and Pipersberg, W. 1984. Genes for gentamicin-(3)-N-acetyltransferases III and IV: I. Nucleotide sequence of the AAC(3)-IV gene and possible involvement of an IS 140 element in its expression. Mol Gen Genet. 193 (1), 179-187.

Guiney, D.G., Yakobson, E., (1983). Location and nucleotide sequence of the transfer origin of the broad host range plasmid RK2. Proc Natl Acad Sci USA, 80: 3595-8.

T. Kaeberlein, K. Lewis, Epstein S. S. 2002. Isolating "Uncultivable" Microorganisms in Pure Culture in a Simulated Natural Environment. Science 296, 1127-1129.

Mazodier, P., Thompson, C., 1989. Intergeneric conjugation between E. coli and Streptomyces species. J. Bacteriol. 171, 3583-3585.

Pace, N.R. (1997). A molecular view of microbial diversity and the biosphere. Science

Pridham, T.G., Anderson P., Foley, C., Lindenfelser, L.A., Hesseltine, C.W., and Benetdict R.C. (1957). A selection of media for maintenance and taxonomic study of streptomyces. Antibiotics Annual 1956-1957, 947-953.

Voeykova T, Emelyanova L, Tabakov V, Mkrtumyan N. 1998. Transfer of plasmid pTO1 from *Escherichia coli* to various representatives of the order *Actinomycetales* by intergeneric conjugation. FEMS Microbiol Lett. 162(1):47-52.

Sambrook, J., Fritsch E.F. and Maniatis T. 1989. Molecular cloning: a laboratory manual, 2nd edition. Cold Spring Harbor Laboratory, Cold Spring Harbor NY.

10

5

276: 734-740.

25

Torsvik, V., Goksoyr, J. Daae, F. L. 1990. High diversity in DNA of soil bacteria. Appl. Environ Microbiol. 56, 782-787.

Torsvik, V., Sorheim, R. and Goksoyr, J. Total bacterial diversity in soil and sediment communities a review. J. Industr. Microbiol. 17, 170-178.

Torsvik, V., Daae, F.L, Sandaa, R.A., Overas, L. 1998. Novel techniques for analysing microbial diversity in natural and perturbed environments. J. Biotechnol. 64. 53-62.

10

5

Zaehner, H. and Fiedler, F. P. 1995. Fifty years of antimicrobials: past perspectives and future trends. In The need for New antibiotics: Possible Ways Forward. Fifty —Third Symposium of the Society for General Microbiology, Bath. England, UK, (Hunter, P.A., Darby, G.K. & Russell, N.J., eds), pp. 67-84.

15

Zechner, E.L., de la Cruz, F., Eisenbrandt, R., Grahn, A.M., Koraimann, G., Lanka, E., Muth, G., Pansegrau, W., Thomas, C.M., Wilkins, B.M. and Zatyka, M. (2000) Conjugative-DNA transfer process. In Thomas, C.M. (ed.) The horizontal gene pool. Harwood Academic Publishers.

- 20

CLAIMS

1. A method of analysing a library of polynucleotides, said polynucleotides being contained in cloning vectors having a particular host range, the method comprising (i) selecting cloning vectors in the library which contain a polynucleotide having a particular characteristic, (ii) modifying said selected cloning vectors to allow a transfer of said vectors and/or expression of the polynucleotide which they contain into a selected host cell, and (iii) analysing the polynucleotides contained in said modified vectors upon transfer of said modified vectors into said selected host cell.

10

5

- 2. The method of claim 1, wherein the library comprises a plurality of unknown polynucleotides.
- 3. The method of claim 1 or 2, wherein the library comprises a plurality of environmental DNA fragments.
 - 4. The method of any one of the preceding claims, wherein the cloning vectors of the library are E. coli cloning vectors, preferably cosmids, P1 or BAC.
- 5. The method of any one of the preceding claims, wherein the selected vectors are modified by targeted insertion, into the vector, of a target polynucleotide construct.
 - 6. The method of claim 5, wherein the targeted insertion is performed in a region of the vector distinct from the polynucleotide.

25

7. The method of claim 5 or 6, wherein the target polynucleotide construct comprises an origin of transfer functional in the selected host cell.

- 8. The method of claim 7, wherein the origin of transfer is functional in *Streptomyces* host cells.
- 9. The method of claim 8, wherein the origin of transfer is selected from RP4, pTiC58, F, RSF1010, ColE1 and R6K(α).
 - 10. The method of any one of claims 5 to 9, wherein the target polynucleotide construct comprises an integrase functional in the selected host cell.
- 10 11. The method of claim 10, wherein the integrase is selected from φC31.
 - 12. The method of any one of claims 5 to 11, wherein the target polynucleotide construct comprises a transcriptional promoter functional in the selected host cell.
- 13. The method of any one of claims 5 to 12, wherein the target polynucleotide construct is contained in a transposable nucleic acid construct.
 - 14. The method of claim 13, wherein the transposable nucleic acid comprises, flanked by two inverted repeats, the target polynucleotide construct and a marker gene.
 - 15. The method of any one of the preceding claims, wherein the cloning vector comprises a first marker gene and wherein, in step ii), the cloning vector is modified by:
 . contacting in vitro, in the presence of a transposase, the selected cloning vectors with a transposon comprising, flanked by two inverted repeats, the target polynucleotide construct and a second marker gene distinct from the first marker gene, and
 . selecting the cloning vectors which have acquired the second marker gene and which have lost the first marker gene.

25

5

- 16. The method of any one of the preceding claims, wherein, in step (i), the cloning vectors are selected by molecular screening.
- 17. The method of any one of the preceding claims, wherein, in step (iii), the modified cloning vectors are transferred into the selected host cell by conjugative transfer.
 - 18. The method of any one of the preceding claims, wherein, in step (iii), polynucleotides are analysed by determining the phenotype or properties of the host cell upon transfer or expression of the modified vector.

15

19. A method for the identification or cloning of polynucleotides encoding a selected phenotype, the method comprising (i) cloning environmental DNA fragments into *E.coli* cloning vectors to produce a metagenomic library, (ii) identifying or selecting cloning vectors in said library which contain DNA fragments having a particular characteristic of interest, (iii) modifying the identified or selected cloning vectors into shuttle or expression vectors for transfer or expression in a selected host cell, (iv) transferring or expressing the modified cloning vectors into said selected host cell and (v) identifying or cloning the DNA fragments contained in said modified cloning vectors which encode said selected phenotype in said selected host cell.


20

- 20. A transposable nucleic acid construct, wherein said construct comprises an origin of transfer flanked by two inverted repeats.
- 21. A library of polynucleotides, wherein said library comprises a plurality of environmental DNA fragments cloned into cloning vectors, wherein said environmental DNA fragments contain a common molecular characteristic and wherein said cloning vectors are *E. coli* cloning vectors comprising a target polynucleotide construct allowing transfer or expression of the environmental DNA into a selected host cell distinct from *E. coli*.

- 22. A polynucleotide sequence comprising all or part of SEQ ID NOs: 1 or 2, or of their complementary strand.
- 5 23. An oligonucleotide comprising SEQ ID NO: 3 or 4.

ABSTRACT

The present invention relates to methods for the identification or cloning of polynucleotides encoding a selected phenotype, particularly from environmental DNA. In a specific embodiment, the method comprises (i) cloning environmental DNA fragments into *E.coli* cloning vectors to produce a metagenomic library, (ii) identifying or selecting cloning vectors in said library which contain DNA fragments having a particular characteristic of interest, (iii) modifying the identified or selected cloning vectors into shuttle or expression vectors for transfer or expression in a selected host cell, (iv) transferring or expressing the modified cloning vectors into said selected host cell and (v) identifying or cloning the DNA fragments contained in said modified cloning vectors which encode said selected phenotype in said selected host cell.







Figure 1b






Figure 2b




Figure 3a







Figure 3b





Conjugative and integrative plasmid



```
76..1134
CDS
                /note="ABC_transportr"
                /gene="TAP2 PROTEIN"
                /blastp_match="Oryzias latipes"
                /blast_score= 0.002
                complement (1096..2430)
CDS
                /note="none"
                /blastp_match="Anabaena sp"
                 /gene="ALR1117 PROTEIN"
                 /blast_score=2e-18
                 1178..\overline{1}624
CDS
                 /note="Gram_pos_anchor"
                 /gene="CELL WALL SURFACE ANCHOR"
                 /blast_score=1e-04
                 /blastp_match="Streptococcus pneumoniae"
                 complement (2506..3567)
CDS
                 /note="CONSERVED"
                 /gene="HYPOTHETICAL PROTEIN"
                 /blast_score=0.019
                 /blastp_match="Deinococcus radiodurans"
                 complement (2906..4222)
CDS
                 /note="glycosyl transferase"
                 /gene="lipopolysaccharide"
                  /blast_score=2e-23
                  complement (4092..5321)
 CDS
                  /note="glycosyl transferase"
                  /gene="glycosyl transferase"
                  /blast_score=1e-15
                  complement (6337..8502).
 CDS
                  /note="PUTATIVE"
                  /gene="GLUTAMINE AMIDOTRANSFERASE"
                  /blastp_match=" Bordetella bronchiseptica"
                  /blast_score=1e-16
                  complement (8181..9530)
 CDS
                  /note="none"
                  /gene="MEMBRANE PROTEIN"
                  /blast_score=0.035
                  complement (9531..10721)
 CDS
                  /note="NOEC Transmembrane"
                  /gene="NODULATION PROTEIN"
                  /blastp_match="Azorhizobium caulinodans"
                  /blast_score=3e-07
                  complement (10504..11274)
  CDS
                  /note="PUTATIVE"
                   /gene="HYDROLASE"
                   /blastp_match="Streptomyces coelicolor"
                   /blast_score=4e-14
                   12874..13689
  CDS
                   /note="HYPOTHETICAL Meth-transf"
                   /gene="PROTEIN PA1088"
                   /blast_score=2e-06
                   /blastp_match=" Pseudomonas aeruginosa"
                   14195..15976
  CDS
                   /note="PUTATIVE, Glyco_transf"
                   /note=""
                   /gene="LIPOPOLYSACCHARIDE BIOSYNTHESIS"
                   /blast_score=2e-06
                   /blastp_match="Vibrio cholerae"
                   15427..16512
                   /note="PATHWAY: INNER CORE LIPOPOLYSACCHARIDE
  CDS
                   BIOSYNTHESIS"
                   /gene="PHOSPHOHEPTOSE ISOMERASE "
                   /blast_score=3e-17
                   /blastp_match="Helicobacter pylori"
                   15579..16253
   CDS
```

```
11/35
                /note="none"
                /gene="PHOSPHOHEPTOSE ISOMERASE"
                /blast_score=2e-22
                /blastp_match="Neisseria meningitidis"
                complement (16505..17656)
CDS
                /note="BIOSYNTHESIS PUTATIVE"
                /gene="LIPOPOLYSACCHARIDE"
                /blast_score=2e-17
                /blastp_match="Thermotoga maritima"
                /pfam_match="Glycos_transf_1"
                complement (17657..18697)
CDS
                /note="none"
                /gene="ALR3073 PROTEIN"
                /blast_score=6e-27
                /blastp_match="Anabaena sp"
                complement (18615..19304)
CDS
                /note="none"
                 /gene="ALR4487 PROTEIN"
                 /blast score=8e-07
                 /blastp_match="Anabaena sp"
                complement (19301..20596)
ന്മട
                 /note="ATP_GTP_A"
                 /gene="ABC TRANSPORTER"
                 /blast_score=3e-61
                 /blastp_match="Synechocystis sp"
                 complement (20535..21476)
CDS
                 /note="PERMEASE COMPONENT"
                 /gene="POLYSACCHARIDE ABC TRANSPORTER"
                 /blast_score=6e-41
                 /blastp_match="Clostridium acetobutylicum"
                 complement (22025..22951)
                 /note="involved in the synthesis of a polysaccharide
 CDS
                 capsule ?"
                 /gene="32.3 KDA PROTEIN"
                 /blast score=3e-17
                 /blastp_match="Sphingomonas sp"
                 23155..26523
 CDS
                 /note="peptide syntase"
                 /gene="mcyA, mcyB and mcyC"
                 /blastp_match="Microcystis aeruginosa"
                 /blast_score=0.0
                 26409..34433
 CDS
                  /note="polyketide syntase et peptide syntase"
                  /gene="mcyD, mcyE, mcyF and mcyG"
                  /blastp_match="Microcystis aeruginosa"
                  34418..37500
 CDS
                  /note="CYSTATIN"
                  /gene="PEPTIDE SYNTHETASE"
                  /blast_score=0.0
                  /blastp_match="Anabaena sp"
                  35359..37500
 CDS
                  /note="gene cluster"
                  /gene="nostopeptolide biosynthetic"
                  /blast_score=2e-41
                  /blastp_match="Nostoc sp"
 Sequence 37500 BP; 6199 A; 12698 C; 12769 G; 5834 T; 0 other;
gateggtgeg ggcctctteg ctattacgcc agetggegaa agggggatgt getgcaaggc
                                                                            60
gattaagttg ggtaacgcca gggttttccc agtcacgacg ttgtaaaacg acggccagtg
                                                                           120
aattgtaata cgactcacta tagggcgaat tcgagctcgg tacccgggga tcccacgtac
                                                                           180
cacgagetea tetggaagag ecceptecag acaccegagg aatggaageg eggegtegtg
                                                                           240
agaccgtaca cgcagaagcg tctcgtcgcc ttcgttgact ggcttgcgac gacgatgaag
                                                                           300
 ctggatctca ccaggatgtt cgccgcaggc agetcgatgg gcggatcggg cgcgatcatg
                                                                           360
 ctegegatte getatecege acgattegeg tggacegtgt egtgggtegg egtecaegtg
                                                                           420
 cocgocgact ctccgcaatt cacategteg tacgagetgg tgtacggccg gcccgacttg
                                                                           480
 aaggtgccgt tcgagaacgg cacgccggtc tgggatcatt ttagtgacgt ctggtacctg
                                                                           540
 cggcagcatc cggagcagga catcgggttc atcacgttct cgaacggcaa gaacgactcg
                                                                           600
 gegategget ggegecagge egtegaatte etgaagaege tgeaggagae caggeaaceg
                                                                           660
 cacetgiteg tetggggeea ggagggaeae ggecagegeg egaagatgee ggaaggtgge
                                                                           720
```

ggcgaacggg agatgccgct cgacctcaga acgaaccaga gcctgccggc gttcagccgt 780 12/35 tgcacgctcg acgacgatcc gggagacggg tcggattcga gcggcgtccc ggccgggcag 840 atcaactcct acgtcacctg gcagcctgac tcgatcgtcg acgaacccgg ccgatggagc 900 gtegteatea agetggegaa tegacegeeg eggtegeeg eegeagtega egteaegeeg 960 cggcggctgc agcagttcaa gctcaagccc ggcgatcagg tgacatggac gaactccgcg 1020 ggcaacaccg tegtgcageg eggegaageg gtegeggace ggtggggtet egteaegete 1080 ccgcagatgc aggtctcaac gggtggaaac aggatcctgg tgagcaggaa ctaggcgggc 1140 ggcgtcctcg acgagccggc gcatcggcgc cagttgatgt gcccacgaaa gctggctgag 1200 gteegegege geggegatgt ecegtegege etgeggegge tttgccagea aatccageae 1260 agecgcccgg aacgcctcga ctgattccgc cacggagcac gccggccgtg cgatggtggg 1320 aagtccccct gcgacggccg gggtcacgac gttcgggagc cccgcggcaa tcgcttcgag 1380 cactttgttc tgcacgcctc tcgcgatcgc aatcggcgcg accgcgatcg ccgatcgcca 1440 gagatactcg cgtacctccg ggaccgcgcc ggtcacttca atcgtgggat cggccgcgag 1500 tgcccgcacc gcggcggtcg ggtccatgcc cacgagcatc agccgcgcgt ccgggcgggc 1560 gcgaaccacg gacggccaga cctctcgcgc gaaccagagc gccgcgcgct cgttgggctc 1620 gtagccgaac acgccgcaga agacgacccg cgcttcggcg gccggtggtc ctttcggcgc 1680 aaacateteg aegtegatge egtteggeae gacegaegee gtgaggeege eegtgaette 1740 ttegageage aggegetege getegeteae gacegtggte geegeegege geegeatege 1800 gacttteteg aageggagea ageggeegge etegeggegg aacagecage ettteggeea 1860 cgccgccgtc gacgccagcg cgcgccattt ctcggagtcg acgtccacca tgtccaggac 1920 gaaggggatc ccgcccagga tcggctcgca ggcgtagcgg gccatcccgc tgcagtacgc 1980 . gagcaccgcg tcgggccgcg tcgcggcaat ccgtcgttcg agcacctggt agatctccgg 2040 cgaatgcagc aggacgtgcg tgaggggtcg atcgcccggc agcgccagac cgctcgcgat 2100 gagatteegg eegeggegga egegeacgae gteggtegae geegteacge eggegagate 2160 cgctcgatgc gaccactcct cgtcgtcgtg cgcgagcgag acgaggtgca cgtcggcgga 2220 tegtgegage gtgtgaatga gatgaaacge gegaatgega tegeceeggt teggggegta 2280 gggcagccgg tgtgtgagca gaaggactet caccgtgcgg catccgatcg ctctcggatg 2340 acgegggeeg gtacgeege ggegateacg egggegggaa teggegeggt caegacegae ecegeegeaa teaeggaate eggacegaeg teageeatga eeaeggegge getgeegate 2400 2460 caggtgccgg cgccgatccg caccatccgc ggtgtgcctg gctgctcacg gatcggccgc 2520 gtgaggtege tegtgeegtg egtgteeggt eegetgggga tgtggaegee ggegeegaee 2580 aggacatege getecaggtg gacccageeg agatggeate egggteceae gtacacatge 2640 tegtegaget tegegeeggt etgegaaaag atggtgeega aggegaeegt gaeegaeggg 2700 tegeagtgtg caageaegeg geegaggaaa geegegegaa ggtattgtee gatgaegeeg 2760 gggatgagcg agagccactg cgtcgaccct tcgagggccc ggtcggcgcc gaggaagggc 2820 cgccgcacgg agtaggagag caaggcgggc aggacgagca ccagcgcgat gccacgggcc 2880 agtecettge eggegteett gaggeteacg cecactgeag egegegeee gegteggace 2940 gggeteegta tegtgtgaeg agegagtegt agagegette caetttgege ateegeeget 3000 cgaacgataa ctettetteg atceggegte gegeegeaat egcaegggtg egteeggeeg 3060 cgggattgge categoetge tegategegt cegegaggee tgacgeegg cegggetgaa 3120 tgaccaggge gtgcgtgccg ttcgacacga gctcggccgt gcccccggcc gcggtcgcga 3180 cgatgggtgt ctcgaacgcc atggcttcga gcacggcgtt gggcgtccct tcgtagtccg 3240 acgactgcac gagcaggtcc agcccgtgat ggacggccga gacgtcggac gtgtggccga 3300 ggaaacgcca ggttccgggc ccgagctcgc gggcggcctg ttcctcgagc ggacgccgga 3360 ggetgeegte geeggegatg acgagaegga ggegeggeea ettegeetga agggeggeae 3420 aggettegat gageaagteg aategtttet geggetegag aeggeeaace gegeegatga 3480 egaagteget ggeetegaat eccagteett caegegeege ggeeteagat egtggatege 3540 gtoggaaago atggtggtog atgccattog ggatogtgac gaccogatco ggccgtoogc 3600 etttggccag gageteeege egaatetgtt eggacaegge aatgaeggea gggaageggg 3660 cgagaatccg gcgatcgagc gggtagtaga cggtgcgttc gcgaaacgaa tggccggtcc 3720 atccatgggc cgtggccagc ggaatcacgc gctcggcgcg tcccaggagc agggcgagga 3780 gateggtett gtactegtge gegtgeacga tgtegatgeg cagatettte acgagegege 3840 ggagettega ecagatteeg gtgtegaaeg aatgettete eeggaceteg aegtagtega 3900 tgccggccgc tttcgcccgt tcgtccatgc cgaacaccgg atcgcgctgg tcgcggatgt 3960 agcagacggt gatcgcgtac ttggagcgat cggcctgcgc cgttccgagc agaatcgtct 4020 tetecggtee geogeocgtg coccgeacge tgeggagete gageacgege aegggaegeg 4080 cgattcccgg cctaggcgcg gcgtctggca gcatggcccc cccggccgac gagcgcgatg 4140 geeegggega tategtaegt geeggeeacg acgagegaet gtgcgatete gaegagteec 4200 actgcgccgc gccggcgcg gatcatcgcg gctgcgcgca agccggcgaa accggcaagc 4260 agcaggageg eggtacegac aatceaceac cegeegeget gecacagege gaggeecage 4320 ggaatcgaga cgagcgccag cagatcgagg accgggatga tcacgctggg cagatcccgc 4380 atggcgagcc ggtgacggaa gctcacgcgc aggttgtcgc ggccgcgcca cagctcgccg... 4440.. aaaaacacgg cgcgaagcga teggggateg ccctggtgca cgctgeggag ccgegggtee 4500 gacaggatge ggccgccgcc ccggcgcage cgctggcaga tatccacgte ttcacaggte 4560 tegaggetgg tategaagee aceggegegg tegaaggeet egegetteae ggeaagattg 4620 cegeteggga gecagtecae gtetteggtg etetgeceae gaeggegaaa egagtegtae 4680 gegegetgea cecagttgee gteaceggga gettegtaet gegegeegge agegaegaee 4740 cccggggtct ggagcagatc gacggcgacc accggccagc gcgggtcgat ctcatgatcg 4800 gcgtcaacga acgccagcac gtcgccctcc gccgaccggg ccgcgcggtt gcgaagcgtc 4860

gccacgttca cgtcgggcag cgacagcact cgcgcggatc cgcgctctgc cacggcacgc gagtegtegg tegaceegtt gteegecaeg acgatetegt accageeage eggegeeteg 4980 gtgcgatgaa tcgacgccag gcaacggctg aggtgcgccg cgccgttctt gacggggatg 5040 acgaacgaca cgcgcggcgc cacggcaatt ttcgcggtca tcgatttcgt agcgcggccg 5100 getttegtag egeggeeegg gttgggggee gegagaaete gaaegegeee agateeggeg 5160 cccctgctct cggccgccga tcgaaatcga gcggcgcctg cggaatctcg atgccggcgt 5220 cgatcgcctc cctggcggct gccgacaggt gcagatcgca cgaggccgcg tttgcgaacc 5280 actotgogge ggcgttcgtg acgttgttcg tcgcctccgc ctcaccgccg ttacggcgca 5340 ggatetgeeg getegteagg ttgttgegga tgageeegtt egteaeggga aaceggaege 5400 cgatcgtcca cggcgtcgcc gtgccgagcg tgaagacgct gttgtgctcg atccggaagt 5460 cggtggacge gttggcttcg atcgcttcgt cggcccattc gttcaggttg cagatcacgt 5520 tgttccgcac gatgccgcgc tggtgatcga tctgcttctc gccgtcgcgt gcgtaggccg 5580 tgatccccgc ggccaggccg atggcgatgc ccctgaacga atcgacgatg acgttccgtt 5640 cgatgagegt gteetgegag ttegeceagg egaggatege egggeeggat egecageege 5700 ccgattgcgg gccgcgaatc cgcaggaaga cgttgtcgcg gatgacccac ccccgggccg 5760 ccaggatgtc cacgccgtcg gtgtaatcgg acggcgcgct cgtcgtgtac tcgaagcgcg 5820 agcacgccac gaggccatcg tccgcgaagc gtccgtcagt gccgacgctg cctttgagca 5880 attgetgtee egeategatg agetggaegt tgtgeacegt ggetegggae gegeeaaget 5940 cgccgcgcac ctgaatcgcg tggtacccga cgtggccgac cgtcagatcc gcaatcgtca 6000 cgtcagtggc gccaaccgag agcgccacgc cgatcgcgtc gccggtcatg ccgccgccgc 6060 gaatgacgac geggteeega tegeeggage ggeteeggag caeggtgeeg gggaegttga 6120 tgctggccat ccggtcgagc cggtactcgc cgttctcgag cagaatcgtg gtgcgcggct 6180 tgacgcgttc gagcgcctgc agcagctcgg acgtccgccg cacggtgacg acctgtttcg 6240 tegecggege egeccateeg cagaagtgeg geaceggege ggeggeetgg eeggaeggea 6300 gaagegecae gagtgegeeg gecaegatga ggegagteat geegecaeeg tgtegaegte 6360 gtgttcgcgc aaccagagct cgaggatgag caggatttga aggaggtagc cgcgcgactg 6420 tetecegtga egegtgtegt egatgatgge gegcaacgte teggggegea ggaacateeg 6480 egtgegegee teeggggega acagetegeg etegaegget tegageagte gegtetgeag 6540 ccagcgatcg aagtcgtgat agtgacggta cccaggcgcg ttcaggcgct tcagcagggt 6600 gttgaccttg tegaacacct teteegecag eggaceggeg tegeeggeg egeeggtgtt 6660 cgagttccgc accttgagca gcgccgggtt gccggcctgc gtgatcgcgc gatgaagcgc 6720 cgtgtcgtcg cgccatgccg gatcgccgct cagcaggacc tgcaggaact cgcgatccat 6780 gaacggcagc cgcacgtcca cgacggtgcg gaagagatcg agcgagggaa tcgtgaagcg 6840 ccgatgatgc tcacgaagat agagatagct gctgagctcc gcgggtgaga gctccacggt 6900 gtegaggage gegtgeageg agteggeege geeeegteeg gagaggegeg cagegtetge 6960 tgtgaagage gtgtccageg gcaggccgct gctgatgtag ttggcgcgcg acgtcatgta 7020 gtcgatgaac tcgccgcggc ccgtcatcgc gaacacgtgg ccgtcggtgt ggagcggcca 7080 cgccaggctc gtcttggcga gctctccgcc gtggccgcgc agcaggacct cgataccgga 7140 gtcccgcagg aaatcgatcg ccagcatctc ggtcagtccg tggctcagat acatgccatc 7200 ggtgagcgag accatgcgcg cctggttcgg cagaaagtcc ttgaggtacc ggtcgtcgag 7260 7320 ctegaagaag eggtggtegg taceggtgag ettegacage tgttgegega teacetgate ggegeageeg gegacgeeca gegtgtaegt gatgageeeg ecaacacegt teacegeact 7380 cagcacggcg cggctgtcga ggccgccgga gagcgacagc ccgaagcgat gcctgcccga 7440 gagegaette tegacegege geetgaaegt egtgtgeaee gegtggaegt aegegteett 7500 cgtegtacge ggteegeggt agagategge eggetegaaa taeegggaca egetegegge 7560 gcetgacggc cagtcgtacg cgagcacggc gccggggtcg aggagcgtga cgcccgccgc 7620 cagggtettg tegeccagga cgaageccag cgtgacgtaa teggeggeeg eeeggagget 7680 gagageeggt ttgegegeeg aggteetgag caeggaagee agateegate egaaegaeag 7740 teeggeegeg tegaceegee agtagategg atacgageeg aacggateeg ttgcaagcag 7800 cactegetet egegeeggat egateaegge gagegaaaac gegeegtega geegggegge 7860 catggcaggc cccagccgtt cgtacaccaa agccaggaga tcggcgcgcg tcccgttcgc 7920 cgaaccaaac tegeteegga gegeegette gttgtagaga tegeegegaa agateaccag 7980 cggccggctg acgtcgcgcc cggccgccac ctcgtcgagg aagccgagcg tgccgagcc 8040 gacegcceat eggteegacg gatetegata gacgacegtg eggegeggee tgeeegactt 8100 egeegetgae geggegtegg egeggetgaa ggeggtagat geeggeteat egeggeaaac 8160 gacgccgagg aggccgttca tcagacgacc ccgcgggcag acacgcgcga cggaacaaga 8220 ggtgtcgtct gagcggccgg aaccggccgc gcggcgtgcg ccgccaccat ccggttgagc 8280 gcaatcgaca agccgaggaa gtgccagagg atctcggtgt actgaaagat gacgaacgtt 8340 cegeceaege agaatgeaat gagggeggte tggaeggeea gegegtaegg egecageteg 8400 gecagggecg gatecegett egagaceegg eggaceetge ggcaggegat gagegecagg 8460 aggagagtga gcaggaacgc cgcgaggccc acgaacccaa gctcagccac gagaccgaac 8520 cacgcgctgt gaaccgagcg ccccttgccc caggcgccgt ccgacgtgtc gtagtcgttg 8580 taggeggeeg tgaaggeatt gtgaeegaeg eegtaaateg geeggteate ggeeatgegg 8640 agegegacec tecagaagtg cageeggete tgggeegate getgategee aacegeegtg 8700 tegetegegt egatgetega gteggaegag etgategage teatgegate ecagaactet 8760 tccgtcatca cgagcgacat cgcgacgaag accgccgccc cggccacgag gacgagcatc 8820 ttgcgcttcg agtacaggaa atagacgagg ccaagcacgg cgagcgtgag gaagccgccc 8880 cgggagtacg tgctgatgcc gcgatagagc accccgatga gcagcacgcc cagcgcccac 8940 ttggcccatt tcctcgcttc cgtctgcatc agcgtgacga tgagcggcac gagcatgaac 9000

atgccgacgg cgacgccgtt gttgtcaccg agcgagtaga cgtcgttgaa gttcttgatg 9060 ccgggaatga acaggagetg accccagccc tgettggegg cetegaaccc gagggagage 9120 gagatcacga ggaagacgag ccgcaaccgc ttgacgtccg tcgtgaggac tgcgagcagg 9180 tacgtcatca cggtggactt catgaagtcg atcatgtagc cccacgcgaa gtcctggtag 9240 ggcgacgcca gcgtcgacga caggctgtgg agcccgaaga aggcgaggag cgccagccgc 9300 gegtegatee geagegeetg eceggacagg aacgegateg egagegtgta catgecegee 9360 aggagcgaga tgttcatgtg gatgagaaag tcgctccaca cccagagctc cggccggaag 9420 tacgcgatga acaggtagaa cagaatcgcg tagaacggcc cgcgcagcgc gtggaaggcg 9480 ccgaaggcga ggagggcgag gacgaaagcg gctcgaagca ttgccgtgtg ttacctgtta 9540 teggtecega tggtecagag eggetgegte egggteteet etacattgaa cacettgtag 9600 agggccggaa tcgaggtgaa catgagcacc acgaaaagaa tcgccgacac caccatgtag 9660 gegaagaace ceegetgett gtagagette teeggattet geaegggget gtteggeage 9720 atcccgatgt gcaggtagta ggcgaacatg cccgccgcca ccggcgcgaa caggatcagc 9780 tegaggtgat ageggaegat gaagatgeeg cegaagaggg egeageaggt ggegtagaac 9840 accatgetca egageageeg etectegttg tagaaggeaa acgaetteeg gtacgaggee 9900 gegacegacg egttgeegat gtgeeggaac teegegtace gettegtege catgaagaac 9960 gegeceacca tecagtacga gateacgage gacateggeg geacgegate etgaateage 10020 gggaaccage cgaggaggag ccggacggcg ttgttcgccg actcgctcag cacgtcgagg 10080 tacggccact cettegtgcg aatgggcggc acgttgtacg tgacgccgag cacccagagc 10140 gecagggecg acagegegaa gtatetgtte acgageageg egageaegaa teeggeeaeg 10200 cccacgagga tccactcggt-gtagcccgcc gccggcttga tcttcccgga gggcaccggc 10260 cggtgccgtt tctccggatg cagcagatct ctcgggccgt ccaggagctc gttcagcacg 10320 tagttgctcg aggcgatgag gcaggtcgcg gcgagcgcga gcgcgagcgg cgggacggcg 10380 gtccagccga agagctgcgg ttcgtagaag aacgccagca gcacgccgag cagcatgaac 10440 gegttettga accagtgate gateegegeg atetggaegt acggecaaat cegegaaceg 10500 gagetagegg etgacgaeat egttgagete etegageege eggategega accateegeg 10560 geeggetgtg aegeegtgge ggeeggegat gagggegeag gagagteetg eggeeatege 10620 tecttetecg tecaegtecg gtegatecee gacatacagg acetecegag gtecgagtga 10680 ccacatctca cacgccacat ggaagccgcg cgggtgcggc ttcagggcgt tcacgttgct 10740 ggcggtcgtg cagagcgcca gcgaaaaatg ctgcgacgtg ccgagcgcgg cgagcttgct 10800 ctegggegeg tagteegaca geaegeegag cetgageece geegegegaa gegagtegag 10860 cgcgccgagc aaccccgggc gccggcacca ccgcagatac ttgagcggcc ggcgcaccat 10920 ccattcgttc accgtcgccg ccacgacctc gttgtccagc ccgagcgcct gcgcggtgcg 10980 cgcgatctgg cgcgcgcga gcggctcgtc ggccgcgccc aggcgccgga gatcctcatg 11040 cgcccggcgg tactcccgca cgatgcgcgc cgtgtccact ccgcgccgcc accggaacgt 11100 cacgagegge gtggeggega geteegetge catggeggeg egcaacggae cetgeeggta 11160 cagegtgeeg tecaegtega acageaegge ettgaeeeeg egcaaegget teaetetgeg 11220 aggeccagea teegcagaat egecgacace tttgacgegt egegaaggaa eaegteaega 11280 acceacacgg cagccagece egecaacage accedence egececege tecege 11340 cageteeege gecaggegeg egtgtegate geggeggege egtageagag cagaateggg 11400 acgagcggca ggtgataccg gggatgtccg aagacgatcg cgtgaatgcc gctcatgaac 11460 acgatcaggc tcaggagcag caggtgcgcg cgccagttga ccggccgcgc gaacgagatg 11520 cegatgacge cgagcaccat gaccgccgcg tacgatecca tgatggacae cgccccggcg 11580 aagaacagcc accgcggcgg acggtagaac ccatttccga cgccggcgat gaagtcgcgc 11640 tecagecece agaagtetge gaactteage accgaacgge gaagegtegt teceggatgg 11700 geetteatgt agtegagege etggegetge geecacttet etttegtgee etecgteeag 11760 cggctgccgt ccggcgcgcg aggcggcatc gtgcgcgacc attccttgtc gcccgtgagc 11820 gagategegt cecacatgeg atecteggge gtgtacgegt agttgeecat cateaggtte 11880 agcccgccga gcgtgtccac gaccgtgaac gagcgttgca ggagcgtgtt gcgcacgctc 11940 12000 cacgggccga cgatcgcggc gtatccggcg aagagaagca cggccacgcg cagacgcgcg cgaagcggga tgcccagacc gacgagcgcc gcggccatga ggatcgcgac gtacggccac 12060 12120 atgategage gaacgagege ggacgegeeg agegegaege eegtegegag egegateeae 12180 gccgagtgcc gccctgatgg gcgatcgatg agcgtcagac atcccaagag caacaaaaga aggagtgtga tgaagagcgt ctcggacagc accagcacgc cggagaacag cagcgaggga 12240 tagaacgcga acgccgccgc ggcaatgagg ccggcgcgtg cgctgaacaa cctgcgcccg 12300 12360 atgagataca cgagccagac accgagcagg ctcaacggaa cctgcgccag ccggaccgcc gtcagcgatt ccgagcccgt gaccgcccag acgcccgcga cgaacgcggg aaagagcggc 12420 georggatgg acgteggtte ecceggeece caegegaace egtteeegge gaegaegttt 12480 12540 ctggcaagcg tcgcgtagtg ctgctcgtcg cgaatctcga gcgcgacgtc cttgaacccc caaatcaggc cgagccggag gaccagggcc agcgtgagga tgacgagaat tgcccggcgc 12600 teccaatggg tgegetegge etegtegege eegggggega egattggeea gggggeegae 12660 gatgggagtg ggggagcctg catcattcgc taaaacaagc agttacggtc aaacctgtgc 12720 caccggggaa tcagcaaaga ctctgccaac gggtccgccg gcggcgacgc ccggcgcgcg 12780 ttttccggcc ggaagtcggc ccccaaggcg acccggctgg gcacagccca gtagaaatct 12840 12900 cattetggga tgacttttgt ccatgatcca tgaccatttc gaggggcctt cgtgacgccc tggggatggc ataagcttgg cacctgcgat ggcgacgtgt cgatgatcag cggccgtgag 12960 gagetecaga aggeetateg ggacgacegg gtegeeegtg aatacgtgge geggeggtte 13020 13080 cagtcaccgc tgggggggct cctccattcg cgtcagatcg gggtcgtgcg agagctcgtc cgcgcgcagg gcatccggcg cgcggcggag atcgcacccg gtccagcgcg gctgaccgtg 13140

14/35

gacategege egeteetega eegegtgaeg etegtegaeg egagegeeea gatgetteae 13200 15/35 gaagegegeg ageggetgeg egaceggaeg etegeegege gggeeaatet egtgeaggee 13260 gacgcgtttc gtctgccgct cagcgggccg ttcgatctcg tctacacctt caggctcgtg 13320 cgccatttcg agcgcccga tcggctgcga ctctaccgcc agattgcgac gattctcgga 13380 cccggcggct ggctcgtctt cgatgcggtg aatgagattg tgtctgcgcc gcttcgcgcc 13440 aacgcgaagc ccggcgagta cgagcactac gatgcgctgc tcacaccggc cgggctacgc 13500 gacgagetgg cegaggeegg gttcacgatg gtgtcgetca eeggtgegea tegeeggtte 13560 cccacgctca tgaagtgcca gatgtatctc gcgccgaggt caacggtgct cgcgcgcgcg 13620 gcgatggagg tgatcgatcg gctcggcggc gaaccgctcg agtggatcgt cgtatgccgc 13680 cgcgggtgac ctactggacg ggtacctggg atccgatcaa agaagcgatt tcgaaggaag 13740 tgaacgccct cegcaceggg tegegggcga aegegacggt cgtgtcgttc tegeeggecc 13800 agegeageeg tetegtgeeg aaagategeg tgetegtgtt gteeggeege geetggateg 13860 cccttcgggc cgcggccgcc gtgctcgagc cgcgcggcga cgtgacgcac gtcttcggcg 13920 gegggttete etggcatete etgagggege tggggeggeg geeggttetg etcaeegeeg 13980 tcaaggaaga tggcgctgcc gatctgcccg gggcgatcgc gcacgtggcc gtcgaagtcg 14040 geogegeteg egacacgtgg ategeggeeg gtatgtetee eggcegegtg caceteatte 14100 atcccggcgt ggacctcgac tggtatcggc cggtgccggt ctcgtcggag agattcacgc 14160 tgctcttcgc cagcacgccg tccgatccgg ctgagatcga gccgcgcggc attccgctcg 14220 togtogaget ggegeggete egtoeggaga tegacgtget ggtgeegtgg egeeggtggg 14280 gcgacgtcga cgcctccagg cgcgcgctcg acgccctccg tccgccaccg aacttcatcg 14340 totogtacga ggacgcacco gacatgogog cotgttacgo gogggogoac gccaccgtog 14400 tgtgcttcgc gggcggcacc ggcaaggcct gtccgaattt cgtgctcgag ggattggcca 14460 tgggacggcc gtgtctctcg acgcgcgaga acggcatcgc ggagatcctc gatcgatcgg 14520 gegeeggeat categoegeg egegatgeeg egtegetege egegageetg gacaegetee 14580 gegeeggetg ggeeggetge geegagegeg egegeegget egeagaggag acgttegace 14640 teggeegett eegegeegeg tacgaegege tgtacgtgga ggtggeatee geegeegetg 14700 gcgagcacgc gaggcgcgcc tettgacgaa gggactcgcc ggacggctgc tegggtgggc 14760 tcagaaggcg aacgatttcg ccgactacgt ccgccatcga tcgcagatga agcgcgacgc 14820 gegggegaat egeegeagge tecateggge geteggegge egegtgaace ggatecteat 14880 cgtgcggctg gccagcatcg gcgacgtcgc gcgcgcgacg ggcgtcctcg gggccctgcg 14940 cgcgcagtac ccgcaggcga cgatcgactt cctgacgtcg gacgcgaccg tggccgtcat 15000 coggeaccae ecogogatea acacegteta caegetecag gatetgtege geetgteega 15060 gtacgactgg atcatcaacc tccagaacct cgtgccgccg gcgagctttc tcagaacgtc 15120 cgggctctcg tacccgcaga ttctcgagca gctctcgagc cgcagccgtt ccaggatcat 15180 caccggccgt cacctcgaga acggctcgga gtccacgccg acgaacatcc tctactgcat 15240 ctgtgagate gaggagcatt tecteaegge getegteeeg tacgacaegg eeegetaeee 15300 ggtgaccgcg attcacgtgg acgcacaggc acgagcggcg gcacgatcga agttcgcgtt cccggagaac cgccaggtgc tggcgatctt cctcgggtcc aactcggtcg ggtgcggcgc 15360 15420 cgatgagggc tttcgcacgt actccatcga ctacgtgaag cgcctcgtgc gtcacttcga agatcggttt gcgatcgcca tcatcgggca gtcccaggtg cgcaacccgg ccgaacgcgc 15480 15540 acagtaccge gagatgeteg geegecatee ggaegtgate gatetegtgg acaagaegte 15600 getegacgag etegtggee teatggacte gtttteeetg eteateagtt gegaetegag 15660 ccccgtccat ctggcgatgg cccgcggagt gccggtcatc gggctgtacg tcaacgacgg 15720 gacgttcagg atgcacccga cgctcggcga cgagcgcttc gtggccatca acagcacgcc 15780 geegtgette acctaetegt ggegatggaa gttettetge tegacgtgee gegaceegge 15840 gaccagateg cattactgte acaacgagge gttegtgttt ggegtggace geatteeget 15900 ggccgcaatc gaccgcgcgg cggcgcggtt gctcaagggg agctccgatg caggacctca 15960 ttegegegea gtttgaagag tegategaga egaagegeaa agegeteteg etegtegatg 16020 16080 eggiggeega greggegege etecteateg aggegetega ggeeggaeae aagateeteg tgtgcggcaa cggcggctcg gccgccgact cgcagcattt cgccgccgag ctcgtgggcc 16140 gettegagaa ggagegeege gegttgeetg eegtggeget caegacegae acgtegatee 16200 tcaccgcgtg gccgaacgac tacgcgtacg agaccgtgtc agccggcagg tgagtgcctc 16260 16320 ggagegeegg gegaegtget categgeate acgaegteeg gcaactegee caacateete geogecatgg acgaggegga aaagaaacgc atgaaacgaa tegegeteac eggaegegge 16380 ggcggcaaga tgaagagtet egceggcgte tgccaggtea tegteeegte agateagaeg 16440 togaggatoc aggaagtaca cattacogto atcoacatot gggcgaagtt gatogagaaa 16500 gegetcaget gagetggegg tagaegtega aegtgegate ttegaaegte gaceaggagt 16560 getegeggge gatgaggteg geggeggegt eggtgaggeg geggeggagg tgetgateet 16620 cgaacaacag ttgcagtcga ttcgcgtagc cctcggcgtc gtccgcctgg acgagaaagc 16680 eggtettece gtettecaeg actteaegea egecegggat ggtggageeg ateaegggea 16740 cgcgggccga ctgggcttcg agcaccgaga gcggcagccc ctcgtgcgtt gacggcagca 16800 ggaaggcgtc ggcggcctgg agcagcaccg gcgcgtcctg gcggaagccg agaaagcgca 16860 cgcgatcctc gagcgcgagc tcggcagaga ggcgcctcag cgcctgctcg tgttccttgc 16920 coteggteeg gtegeteeeg accageeage actegacegg caggeegege gacateagea 16980 17040 gcetggtcgc ccggattgcc gtagcctgcc ctttgtgtgg cgcaagattc gcgagcatga ggacgacgaa gcggtcggtc tcgaggccgg cggccgtacg cgcggcttgc cggtcgccgg 17100 ccacgaactt ctcccgatcg accgcgttcg gaatcgcggt gaccggcacc ttgtcccggc 17160 gteectgetg egeegegteg atcateaegg egatgtageg egeacaegtg acgatgtget 17220 geggeggget etteaggace caggegatet cetegggate eggttegatg tgaaagtgea 17280

21300

21360

21420

cggccacgcg cgcgcgcgcg gcctgcagcg cgggtctcat gaatccgtac acgacaggat tgtgcacgtg gaccaggggc cgcccgacga gacccaatcc cggaagcatg cgcgcacacg cggcgagctg ttgcaggccg ccggcccgca gcgcgttcag gtcatacatc cgccgccgga egeeeteege gregagegeg gegeeegeag gaccetegee tgtaatecat geegtgeacg ccagatgtga gacgaggatc tcgtgcaggc ggggggactg attcatggtg gcgcgcgatg cggccgggcc gccagcctac gttactcgcg tcgcaggtcc gcccgcgcgg tagagcgagc gcagcaggct gcgaagtccc gacgggagga agcacacggc gtaccgcgtg agatcggtgc geegeategg caggecegee tgaccgaace gttteegege egegtgaaac tegeegeggt cgtactcgag gtggccgagc gcgagcagga gacgatggcg atgatcgctg gcggcgcgat gegecgaetg ategetecce egegecagga accgetecag egtectgaec atgeettega geateacgat ggacgaette gacatgttgg tgtcgtgcag cetgtaatge gtcaggggtt ccgggatgaa accgaccggg cccttcgccg agaggcgcag ccagaggtcc cagtcctcga cgccgtggat gccggtcgcg aacatctcct gccggagcac ggcggctttg accatgaccg acgaagcggt cacggcgttt cgcaggacga ggtcggggag acagcgcccc tcgagcggcg gaagatcgag cgtgcgcagg acctcgccgg cctcgtcgat gacggcgcgg cccgtatgaa tgaagctcca gtcggcgtgc tgtcggaaga gatcgacctg ccggcgaatc ttggccggat cccacgagtc gtcggcgtcg agcagcgcca cgaattcccc tcgcgccgcg gcgatggcgc gattgcgggc gccggcaagg ccccggttgg cctgagagat caccgtgatg gcgccgccga atetegecag gatgtetgee gtgeegtegg tegateegte gtegacgaeg ateaettega cgggctgata ggtctgggag agcgcggact gcacggccct ggcgatgtag cgctcgccat tgaacaccgg gacgatcacc gacacgaggc cggggatatc ggtctgggcg gccggcgagg getetegage ggetteageg gecatggee tetgeactgg egtegegage gaacageatg acgtttctcg aaagccacgg agacaacggc gcgctcttca tccgctcccg cagcgtctgc gatgccgggc cgaggtagct gaacccgcgt gccgcgaaga tettetgcca gtactcgagc ggetgttegt tgatgtggee catteegeee tggeeegget gegeggeget gaagageace ageggegeeg tgttegtgag caeggegaeg agettetege caageggegg eggaaggtgt teggegacet egaggeteat ggagaggtee gttgegteeg eggeegtgga caeegeegtg agatcgaatg agttcagcgc gacgccgagc ttttccgcgg cgtaccgtcg cgcgtactcg gategetegt ageeggeege etteaegeet egtgegagga aegegtgeae gaagtgaeeg gtgccgcagc cgaagtcgtt catcgatcgg atgccgggtc gcaacgccag gaccccatca acgagcacgg gcgccgcctc ggcggcgacg tgcccgaaca gatccatgac ggccgcgttg tacgtccatc gctcgaagcc cagccgttcg ccgatccggg acatcttcag tccggcctgg caacgccccg accagtagag ccgcttgagc tgggtcacga tcatgggttc gtcccgggcg cgacgcgaac gcgcggggg gcatgcagcg acgccgagaa ctccacatcg gccacgccgg cccacgateg atgttccttg accgccageg tegcaagetg ccgcgacgge acgaggaacg tetgggtegg gttgtgaaac acgtgcaccg acaggtagta gtggccgcga acgagatgcg cgcggaaatg gaggtcgagc gagaactcgc ccatgaacgc ggacgcgtcc ccgagatccc geeggtggat gttgccgtcg tagacgacga getgateggt ggagegttgc accatgaage cgaacgtgac gtcgtccagc ggctcggtac ttctcgcggt gacctggagg ttcagctgct tecceggegt cacttegetg tgegtgeeg acgaetegte geegaegaag agegageegg acacgatete gacggggete cegacacteg getgtteega ttteetggae gegeggaegt acgegtegag gacttegatg geegtgeegg eggeetteac egageeggee agatacaceg catgetegea gagggtegeg accgeetgea ggttgtgega gaegaggaeg atcgegatge cetggegett gaacteetge atgegatega ageacttetg etggaaegte atgtegeega cgctcaacac ctcgtcgatg atcagcacgt cgggccgcag gtgcgcggcg atcgagaagc cgagccgcgc gttcatgccc gacgagtagc gcttgacggg cgtgtccacg aagtcggtga cgccggcaaa ctcgacgatc tcgtcgaacc gctcggcgat ctcgacccgt ttcatcccca tgatcgcacc ctggaggaac acgttctcgc gcccggtgag gtcgggatgg aaccccgcgg cgacttcgat gagcgccccg gcgcccccc ggacgatcga gcggccggtc gtcggcttca ggatettegt cagcacettg agggtggteg acttgeeege ceegtttgeg eegatgatge cgagegeete geegeggtgg acttegaacg agaegtttet gaeegeecag aacteetgtt cgtccagcgc gtcggcggga cgcggttgaa acagcccgcg cacgagcgcc ggcacgaggt cccgcagget gtcatgacge tcgccccgcc ggaacttctt ggagacgttg tcgaagacga cgggggccgt cacgtcagac gttctccgcg aattcgaact cggagcgatg gaagaacagc cagccgaaga cgagcgtcac gaccgagacg atcgccgtga cgcccagcat cacggacggc ggctggttca ggagcagcac ggcgcggaag ccgtcgatga tcggcgtcat cgggttgagc tgcagggccc actggagctt gccgcccacc atttcgaccg ggtagaccgt cgacgacgcg aacatccaga cggcgatgac gacctcgaag aggtatttca cgtcgcggta gaagaggttc gccatcgaca ggatcagggc gatggccgtg gtgaatatca cgagcacggc gagcacggcc ggcagccaga ggatgttcgg tccgaccggc acgtggtagt agatcatgag cgcgacgagc tecetgggaa agtacacett egagacgaga ttegtgttee eggteaggga ggteaeggag aageggageg cegaggagaa gaagttecag acceacagge egcagaacge gaacacegga tacgcgaccg gcgtgtcgat ggccgcgacg cgcatgaaga tcacggagaa gacagccgtg ttgatgagcg gcatgaacac ggcccacccg aagcccatca ccgactgctt gtagcgcagc agcaggtege geogegteat etgeateage agetegegat actegaactg eteggegage atctcacggc aatcggccag gaaggcgcgc atcgtcagcg gtgtcagtcg cggcgtcgtg ccgggcggat catgagggca ggtagcgctc gagctgcccg aagagcaact gcacgaactc

ggtcgcgcgc cgctcggcgg cgacgtcgcc gttttcgctc gacggcacgg ggctcgtcac 21480 17/35 geggacgage geggegteeg ateggtteag cegeategeg tegtacacca tgtagatett 21540 getecagtae tegetggega teaegeggee gtggetetgg taccagtaca geaegatttg 21600 cegetegate ceettetgga tgacgtateg gttgateteg atgggetegg tgeggeeegg 21660 cacettgace agegegege eggtggatac gggeteceag eeggegeeeg geaggeagtt 21720 categgegag tggategtgt egeettegeg etggetetgg tagtageega tgtagagega 21780 cacgtagggc tegegeggeg ceaggtagat eeggttgatg tactegteea egeegageac 21840 cgccatgacg tecttggtga agggcgcgct gtcgcgtccg gtccaccgct ccatctggaa 21900 egggaegtte gegagegget ggcgaagegg gaeetgeteg gegegeateg agegegegge 21960 aaacgccgcc gtgccgagga aacacacgct gagaatgatc agtcgtctgg tcatgaatct 22020 ggactcacac cgtggccggc gcggtcaccg ctcggggcgg aggcgtgaag cgccgcagga 22080 cccagaccac gacgaacaac atgacgaacg cggcaagaaa gacgagccag cccgagaacg 22140 tgtggaagaa cccctgcgcc gcggcctcgc cgtagtagtg cgccgccacg cccgtgccgg 22200 ccacacgcgc gccgttcgcg ataatcgcga tcgggatcgt cgagagcgca atcgccaggc 22260 geatgeegae gegeggatee gtgaagtage egtacaegat geecagegtg ageagegaga 22320 tgagegaceg gatecegetg caegeetegg ceaettegag egtegtgtge gegageacga 22380 teacgttgcc ttcgcgcagc accgggatgc tgagcgcgga cagcacgccc tcgcccacgc 22440 gagacgccag gagctgcagc ggaaatgcga tctgattgaa gatgatcgac gggatcggga 22500 tcatcagcac caggaacgcg agcggaaacg cgagcaccca gagcttgcgc cagccgagca 22560 ggaacacgat cgcgccggta agcgaggcta gtatcgacac gcgcgtcaga aagagctcgg 22620 cgccgagcaa ccccgcgacg agcagcgcga gcccggcgag cacgatgacg agaccgagcg 22680 cgctcggcgt gtccggcagc gccgagagac gcgcccggcg ctcccaggca aagtaggccg 22740 cgageggtac gatcagaatc ccgtgggagt agttgtcgtc gttgatccag tcctgcgcca 22800 accgcacgat cacctgccca taaaggagca ggaaactcac ggcggcgata ccgagcggaa 22860 ccagtetgge etgaageaca etcatagega tegggaegaa tatageaaag ggeteteeeg 22920 ggcagaactt gggcgccgaa acacgtaacc atcacgctca caggaagtta gcggctaaat 22980 gacgggattg gccggctgga ggggcctcgt gaatctaccc aatggatgac aaatatccct 23040 atcaactcet cettttgact gegtageacg gaagateate ggeetettea gatgeaggae 23100 aaatgtcatc tgtcaggaag agtaatgtct ctggccacag cgccggtcaa gtgaaatccc 23160 ccgacagaat cgcgtaccac cgcgactggc atccggcgag aaaagtcgcc tcgtcggccc 23220 gaaaactgca ttacaggaac gccaggtcgg cagccggttc gttttccgtc agtatttttg 23280 ggcattgcag gcgctttcgt ctgccggggg gcggaaccgt gcgaccgggc cgatcacgcg tggagcaggg cagggacagg catggatggt tccgtgagac agccgcgttc gggagacggc 23340 23400 cgggctcggc gggagctcgt ccacctggcc gtggaccgcg cggcgcca atttcctgac 23460 gegeeggeeg taagttttga eggegteteg etetegtate geggeetgae tegeegegee 23520 aacgcgctcg cgcaccgcct gcagcgtcat ggcgtcgatc ctgacgtggt ggtcggcatc 23580 23640 tecetegace ggtecatega geteategte gggatecteg cegtgeteaa ggceggegge gectacgege egetegatee tgegtateeg aaggacegee tegagtacat ggteagggae 23700 geeggggege ggategtget cacetegega egegtgageg gtetgateeg egtegatggg 23760 gtcgagctca tctgcctcga tgcggacgag cccggggggt tggcgggaaga gggccatgcg **23820** ceggacgeeg gegtegatet egaccacete gegtacgtea tetacacete gggategace 23880 . gggcgcccga agggcgtcgc gatgccgcat cgtccgttgg cgaatctcat cggctggcag 23940 gtcgacgcat cggccgtcgg cgccggcgcg cgcacgctcc agttcacttc gccgagcttc 24000 gacgtetegt tecaggaaat etttgegacg etegegaceg geggegaget egtgetegtg 24060 teegaggaca egegeeggga teegegegeg etgetgeggg tgetgegega tegateegte 24120 geeggetgt atcteeegtt egtegegttg cageagettg cegteacegg cacegaegat 24180 ccggatctgc cggcgttgcg tgaggtcatc acggccggcg agcagctccg ctcgacgccc 24240 gegetegtee agtggttege geggeateeg cagtgeaege tecacaacea etaeggeeeg 24300 24360 gecgaagege atgtegteac tgegeacaeg etgaetagee ecceegegga atggeeggee 24420 ctgccgccga ttggcgtgcc gctgcccggc gtcgagattc tgatcgtcga cgagcatcgc cagecegteg egeacggeaa egtgggegag atecteattg geggegtgtg eetegetege 24480 ggctacttga atcagccgca gcgcacggcc gaacggtttc tctcgcatcc gcttcgcccc 24540 24600 gatgetegeg tgtategeae eggegatete ggeegtgtge gegaegatgg egegategag 24660 ttegteggge ggaeggaega ceaggtgaag attegagget teegtgtgga geegggegaa ategagaceg tecteettea geateceggt gttegggaga eegeegtegt egegeaegae 24720 gacgcgtcgg gcagcaagag gctggtcgcg tatgtgattc cgtcagccga tcaggcggcc 24780 accggagecg aggettegge acaggtetee ggatggeaga eegtgtggga ggacacetae 24840 cgcgcggcgg cggactcgac ggatccggcg cttgccgcga ccggctggcg gagcagctac 24900 acggggatge cetacacege ggcggagatg cgggagtggg ccgatgagac cgtcgcgcge 24960 atceggtege atgegecacg egaggtgete gagategget geggeacggg catggtgete 25020 tteegteteg egeceactg egetgtetat agegegaegg atgteteteg egeegegete 25080 25140 gaccacgtcc gggcccacgc gacggcctgc ggcgccagcc acgtcgagct cctctcgcgc gaggcggcgg actttaccgg cgttccggcg gccgcgttcg atgccgttgt gatgaactcg 25200 gtcgcgcagc acttgcctgg cgtggactat ctgacgcgcg tcctcgccgg cgccgcccgc 25260 accetgcgtc cgggcggatt catcttcgtc ggcgacgtgc cgaacctgcg cctgctcgag 25320 atgittcacg cgtcggtcga gctcacgaaa gcgccggcgg atcttccgat tgccctcgtg 25380 cgcgagcgcg tgcagcgtca gatggcgctc gagcgcgagc tcgtgatcga tccgatgttc 25440 ttegacgeeg teatggaceg cateceegge atetegggag eccaggteea gateeggeag 25500 ggtgccttcg acacggagat gaaccggttc aggtacgacg tcgtgctcac ggtgggcgga 25560

cggccggccg ggcgccgtcc gtccgtcgcg ctcgactggc gtacggagcc ggtcgccgag cgtcagctcg ggcaactgct cagcgccgat gcgccggacg cgatcgagat caggaacgtg 25680 accaacgege ggetgegtea geeggeegeg tgettegate tegtcaageg tgeegaetgg 25740 accggcacgg ccggcgagac gcttgagagg gccgccgcgg acacgcgcga cgcgatcgac 25800 ceggaategt ggeggegtet egegaacgee geeggetaeg aegeegagtt cacetggteg 25860 geegagateg gegecategg ettegatgeg eggttegage geeggggeae egegtegete 25920 geegeteeeg tgaetegtea egeggtteee geegeggage egegggeeat teageagtae 25980 gegacgaate egeteegega tgeggtggeg eggegeetea egeeegaget teggegatte 26040 ctgcaggage gegtgcegga teacetggtg cegteggeet tegtegtaet egatgegatg 26100 cegetcaege caagegggaa gategategg egegeeette eggegeeega gageegeegt 26160 cccgatctgg acgtggcgtt tgccaagccc gccacggagc tcgaacgcaa gatcgcgcag 26220 gtctggcaga cgacgctcca gatctcgtcg gtgggattgc acgacaactt cttcgatctg 26280 ggegggeact egeteetget egegeaggeg ttegagegta tteggeeget egtgeegge 26340 aagcagtggt cgatgatcga gatgttccag tacccgacgc tctattcgct cgccgggttt 26400 ctcagtgage ggccggacgc cggcgccggg cagettgccg gcgcgcagga tcgcggacgc 26460 cgccagcgcg agatgctgac gcgtcagggg cctgccctga gcagagtcga aggggtccgg 26520 taatgcagaa eggcategee etegteggga tggceggeeg ettteeggge gegeggtega 26580 togaggagta etggegeaac etegtegeeg geaeggagte gateaeggte tteaceaacg 26640 aggagetgge gaeggeeggg ateagecaga gegatetgea gaateeegae taegteegeg 26700 cgcgcgggct cgtcccggat ccggacctct tcgacgccgc gttcttcggc atcagccagc 26760 gegaageega getgatggat eegeageace ggetetteet egaggegtge tggetegege 26820 tegaacacge ggcgategeg cegeggtegt teeceggtet categgegtg tggggeggea 26880 tgagcacggg gatgacgaac agcacgtacc tgctgtcgaa tctccacagc cacgcgggat 26940 tgetccagee ggaggaegtg etgecggege tgeteggeaa egagaaegae tacetcaega 27000 geogegtete gtacaagetg cacetgegeg gacegageat gaaegtgeag acegegtget 27060 cgacgtcgct cgtcgcggtg gtgcaggcgt gtcagtcgct gctcacgtgg cagtgtgatg 27120 eggegetege eggeggegtg teegtgtegt teeegcaaca ggaaggetae gtetaegteg 27180 agggcggcat cgggtcgcca gacgggcact gccgcgcgtt cgatgcgaac gcccaaggca 27240 cggtettcag caacggcgtc ggcatcgtcg tcctgcgaag gctcgaggac gcgatcgccg 27300 acgggcagac gatctacgcg gtgatccgcg gatcggcgct gaacaacgac ggctcggcga 27360 aggtcagttt cgcagccccg agcgtggacg gccaggcgga ggtcgtggcc atggcgcaga 27420 gegeegeega egtggegeeg cagaegateg actaegtega ggegeaegge aceggeaege 27480 cgctcggaga tccgatcgag gtggctgcgc tcacgaaggc ctttcgcgcc ggcggcgcca 27540 cggagaacgg gttctgcgga ctcggatcgg tcaagagcaa tttcgggcac ctcgactcgg 27600 eggeeggegt egeggggetg atcaaaaegg egetegeget ceateaceag cagatteegg 27660 cgacgctgca ctacgtcgag cccaacccga agtgtgattt cgccaacagt ccgttcttcg 27720 tgaacgccgc gctgcgacca tggccgcgcc gtggccatcc gcgacgcgcg gccgtgagct 27780 cgttcgggat cggcgggacc aacgcgcacg tcgtgctcga ggaagcgccg cccgccgcgg agcgaccggg cgccgagcc gccagcgacc tgctcgtgat ctcggcgaag acgccggcgg 27840 27900 cactegacge ggeggetgeg aacetegega gteatetega ggegeaceeg gaegteagea 27960 tegecgaegt ggegeacaeg etgegegeeg geegaeagga gttteegeat egaegagege 28020 tegectgeac cageegeace gatgegateg cegtgttgeg eggegeggae gecaaacgtg 28080 tegecacegg egacgeegaa teeggeagee gtgeegtgge etteatgtte teeggeggeg 28140 gcacgcagta cgcgaacatg ggccgggagt tgctgccggt cgcgcaggtc ttccgcgaag 28200 aaaccgageg etgeeteaeg cacetgteae teteegeega egteegeegt gegetgttte 28260 cggatcatge ggacgtcgag cgggccgcgc attggctcga agetccgtcc gttggtttgc 28320 cegegetett tgtegtgeag tacgegeteg ceegteagtg gatggegtgg ggtgtgeage 28380 cegacggget categgteac agcatgggeg agtacacgge egegtgeett gegggegtga 28440 tgtcgctcga gaacgcgctc gcgctcgtgt gtctgagagg ccggctgttc gagacgcttc 28500 cggccgggga gatgctcggc gtcccgcttc ccgaggcaga ggtgcggccc gcgctcggcg 28560 atggactcgc gategeegeg gtgaatgege caagetegtg egtegtttee ggegegeeeg 28620 acgcgctcgc ggcctttgcg cgcgtgatgg ccgaggccgg tgtcgaatgc cgccgcctcc 28680 acatcgcggt cgcggcgcac tcgccgatgg tcgatccgat cctggcggag ttcgagcgtt 28740 tectecgegg categegete gaegegecaa gggttecagt egtgtegaac eteagegget 28800 cgtggctgac cgcggacgaa gcgaggtcgc cgcagtactg gacgcggcat ctgagacaaa 28860 cegteaggtt ettegaeggg eteggeaege tgetegeega geegaategg gtgeteeteg 28920 aagtegggee eggacagaeg etgteeggat tegeaeggea geateeaeag aaaaeggegg 28980 cgcacgtcgt tcaagcgacg ctccggcacg ccaaggaacc ggcgccggac gtcttgttcc 29040 tgcagcaggc ggtgggcagg ctctggacgg caggggtgcc cgtgaactgg gctgcttaca 29100 acagaggcga gggcaggcgt cgtgtgccgc ttccggccta tccgttcgag aagaagcggt 29160 acctggtega ategececag gegeeggtee cagegeeget teaagecetg gegeeaaggg 29220 ccgatgetac tcagcagatg acgacaactg tgccttcgtc tccggcccga tcgcgtgccg. 29280 atcgtatccg cgagcggctg accgaaatcc tgcacaaact gagcggcctc ccggcaggcg 29340 agatcgatcc cgcgctgtcg tttctggaga tgggattcga ctcgttgttc ctgacgcagg 29400 29460 cgagtctgcg gttcaaggcg gagttcaagg tccggatcac gttccgccag ctcttcgaag aggeacegae gategaegeg etcaegaget acategaege caagetgeet geggaegegt 29520 tteetgegee ggeggaagee geteeggege etttegtgge egcaagegtg etgteegegg 29580 gecetcatge ggecetgget ggegtgeegg eggeegegee eggeaegetg eageaegtga 29640 ttcaacagca attgcagttg atggccgagc aactccgcat gctgggcgga aatcccgccc 29700

25620 18/35

gcgaaatcga	ageggegett	cgcgctcatg	agggcgtcga	gcaggccgta	gtcgtgctgc		20/35
gaaaagatca	gcccggcgac	gagcgcctga	tcggctatgt	cacgaccggc	ggcggcgccc	33960	
cgatctcgat	ggcggagctt	cacacatcac	tcaagcagag	grrgeeggae	cacacggcgc	34020	
caacaataat	catcacactc	gacaagetge	cggtcacgtc	gattggcaag	accgaccgac	34080	
acaccetace.	ggcgccgccc	gagcgcgcca	gtttcgagtc	ggagttcgtc	acgcccgcca	34140 34200	
ccgagacgga	gcgccggctt	gcggagatct	ggagcgcggt	gcccggcccc	gagaagattg	34260	
gcgcgcacga	caacttcttc	gacctgggcg	ggcactcgct	getegeggee	cgcaccgcca	34320	
tgaaggtccg	cgacacgttt	cgcgtggacg	tgtcgctcat	cacgttette	taaaggacaa	34380	
ccatcgccat	gatggcggca	gcaatcgacg	ccggtaccgc	ggeeeetgee	teeeggacca	34440	
tcacgccgag	ggcccgcgtc	agggcccgca	gggatgagct	ggteegeeea	rgaaccccgg	34500	
ccacccgcag	actgagtccc	ccgacctgcg	gcgcgacggg	teatteatea	aagegggega	34560	
cgtgtttctg	gcgccggcgt	cgtacgccca	ggggcgcttg	ctggttccctgg	ggdageeega	34620	
gcctgaaagc	tccgcctaca	acattccgat	cgcgctcaga	crgaagggcc	tacacacac	34680	
cgccgcgctc	gaacgcgcca	tcaacaccat	cgtccagcgt	cacgagacgc	atattccaat	34740	
gttctcgctg	cagggcgatg	ageceaagea	ggtcatctct	gagggggt	gacaccacat	34800	
ctccctcgtg	gacatgcgtc	tgeteagtee	tgagaaacgc	gaggeeggae	tcaaggtcgt	34860	
tgcggccgac	gacggcgcgc	gegtettega	tctggctgag	accordeate	acatcgtctt	34920	
actcgtcatc	ctcgagccct	tettesteer	cctcctgatc cgagctggcc	gaggggtacg	cooctgaoct	34980	
cgacgggrgg	teeggeggga	tagagagagat	gccgatccag	tacgcggact	ttaccacatt	35040	
cgacgggcgc	gacccgaage	raceggaget	geeggtgetg	tranageact	ggacgcagga	35100	
ccagaaggaa	cagaccgaag	ggeeeggeet	accascagat	catecacate	cgccctgca	35160	•
gccggcgggg	gegeegatga	cctcccttca	gctcgacgga	acaatctage	caaacatcac	35220	
gaceteeegg	ggegeeeeeg	acacaacaat	gttcatgacg	cttctctccq	ccttcggcgc	35280	
cgcatteage	cactaataca	acacaaaaa	catectcate	ggcagcccgt	cggccggccg	35340	
egtgetgeat	caccttgacc	acctgatcga	ottetteate	aacacqttcg	teetgegget	35400	
cyarcycccy	gageetgagg	catttcacaa	attcatcaac	cqqqcqcgcc	gegegtgeeg	35460	
tacagegees	ggagatcooa	acctgccgtt	cgatcggctc	gtcgagacgc	tcaacccgga	35520	
acadaccaa	gatcagcatc	coatctatca	agtcatgttc	gcgcaggatc	cgccggcgtc	35580	
geggaeeegg	ttcgccggga	tcgagctcga	geggettgte	gtccacaacc	gcagcaccaa	35640	
gtgggaggtg	acactcaaga	ttgccgaaga	cgccgacggc	gtcaccctgt	acgregagea	35700	
cagcgt.cgac	ctattcaata	cqqcqacqqt	ggcgtcgctg	ctgcagcaat	arcgccgrgr	35760	
getteagace	acaatcacaa	acccggacca	geggetetee	gagetgegte	tgcttggcga	35820	
caacaaacac	atocaoctoa	tegeactggg	gaccggtccg	geggeegtet	accegegega	35880	
catcaatcta	gccacqqtct	tcgaagagcg	ggtccgcgcg	actccggcgg	cagrggccgc	35940	
gacgetggag	ggacagcacc	tcacqtacqc	ggateteaac	cggcaggcga	accgcctggc	36000	
ccaacaatta	aaggcgttcg	gtgtgggccc	gaacgtgctg	gtcggcgtgg	cgctcgaccg	36060	
gtcgttcgat	ctactaataa	cactcctcac	cgtggcgaag	gccggcggcg	egtateteee	36120	
gctcgatttc	gctcacccgc	aggaacggct	tgcgttcatg	ctcgccgaca	egegegegee	36180	
categtgete	acactacaac	gatttgccgg	ggcgctcgag	TCCTTCCCC	Eerrerdeer	36240	
ggacgacgag	ctgccggcca	ccgccgagga	gccggacgaa	gatctgccgc	cgcagtcgac	36300	
cggagaccac	ctggcctatg	tgatgtacac	ctcgggctcg	actggtcagc	ccaagggcgt	36360 36420	
cgcgatcacg	categeggeg	tggttcgtct	cgtacgcggc	acagactacg	tccgctggaa	36480	•
cgacgtgcgg	gcgatcctcc	acatcgcgcc	gacgtcgttc	gacgcgttga	cgttcgaggt	36540	
gtggggcgcg	ttgctgaacg	gcgcgcggct	ggtgctggtt	teedagegge	tasaasaaa	36600	
ggagacgctc	gagcgcacgc	teeggtegga	gcagguggac	at carcatae	tcacgaccgc	36660	
gctcttcaac	gccgtcatcg	acgcgaagcc	eggeattete	geeggegega	agcaactcct	36720	
gatcggcggc	gaagegetgt	cagtegegea	cgcgcggcgc	accateged	acctgccgga gcgcctacca	36780	
cacgcggctc	grgaacgegr	acggreegae	atacettta	atcaccage	gcgcctacca	36840	
gattccgcgc	acgetegate	etgaggagag	caacctcata	ccattcaaca	tcgccggcga	36900	
racgcaggcg	accarace as	accyacacyy	ggaatacctg	aatcagccgg	cgctcactgc	36960	
gereracee	gycyyayacy	cattcaaccc	casaccaacc	acccaactat	accgcacggg	37020	
gyaacygett	cadatacaca	acascaacss	catcgagttc	cttggccgga	tggatcgcca	37080	
ayaccccycy retreeerte	cacaacttcc	ggatcgagce	gggcgagatc	gagcatgccc	ttcgtgcccc	37140	
gaccaaacty	ctaascacaa	taataaaaat	ccqqqtcqat	gcccacatqq	cccatctcgt	37200	
racatecata	atacacacca	atgggagtca	actcaccqqa	accgacctgc	gcgaacgtct	37260	
daadacacac	ctaccaaaat	actgtgtgcc	cocqaaqtac	gtgttcctgg	ccgaggtccc	37320	
acasscaaca	accaacsaaa	tcgatcgctc	ggcgctgcct	gcatcggcga	tcgaggcgcc	37380	
cacacccasa	ccacacatc	cgtcgttcct	gaacgaggtc	gaagcggagc	tcgcgcgaat	37440	
ctggagcgaa	atacttcaac	tgccctccqt	gctcgcgacc	gacaatttt	tcgatcgtgg	37500	
//			<u> </u>				

21 /35

Figure 5b

```
complement (3..914)
CDS
                /blast_score=2e-66
                /blastp_match="AE004644.PA2177 Pseudomonas aeruginosa"
                /gene="regulator hybrid"
                /note="probable similarity to prokaryote sensory
                transduction proteins"
                /product="sensor/response regulator hybrid"
                924..2168
CDS
                /note="none"
                /gene="ligase"
                /blastp_match="AP003013.MLR8297 Mesorhizobium loti"
                /blast_score=e-152
                /product="2-amino-3-ketobutyrate CoA ligase"
                2207..3190
CDS
                /blast_score=e-151
                /blastp_match="AE008872.TDH Salmonella typhimurium"
                /note="none"
                 /gene="dehydrogenase"
                 /product="threonine 3-dehydrogenase"
                 /pfam_match="PF00107; adh_zinc; 1"
                 3373..4455
CDS
                 /note="putative"
                 /gene="methyltransferase"
                 /blastp_match="AE001866.DR0026 Deinococcus radiodurans"
                 /blast_score=1e-08
                 4546..4959
CDS
                 /blast_score=2e-11
                 /blastp_match="AP002997.MLL1617 Mesorhizobium loti"
                 /gene="unknown"
                 /note="pfam00263, GSPII_III, Bacterial type II and III
                 secretion system protein, Expect = 7.8"
                 5176..6192
 CDS
                 /blast_score=5e-98
                 /blastp_match="AF064070.PE20 Burkholderia pseudomallei"
                 /gene="glucose epimerase"
                 /note="putative "
                 /product="UDP-glucose 4-epimerase"
                 /pfam_match="PF01370; Epimerase; 1"
                 6331..14043
 CDS
                 /note="substrat AT, malonyl; zinc depend dehydrogenase;
                 zinc dependent adenosine deaminase putative"
                 /gene="PKS I"
                 /blastp_match="AF285636.WCBR 2547 Burkholderia mallei"
                 /blast score=0.0
                 /pfam_match="ketoacyl-synt"
                 /pfam_match="ketoacyl-synt_C"
                 /pfam_match="Acyl_transf"
                 /pfam_match="SAM binding"
                 /pfam_match="adh_zinc"
                 /pfam_match="pp-binding"
                 14275..15408
 CDS
                 /blast_score=e-104
                 /blastp_match="AF285636.WCBT Burkholderia mallei"
                 /gene="acyl-CoA transferase WcbT"
```

22 /35

```
/note="putative"
                /pfam_match="PF00155; aminotran_1_2; 1"
                15436..16245
CDS
                /blast_score=5e-11
                /blastp_match="TTDEFFMT.FMT T.thermophilus"
                /gene="formyltransferase"
                /note="evidence experimental"
                /product="methionyl-tRNA formyltransferase"
                /pfam_match="PF00551; formyl_transf; 1"
                /pfam_match="PF02911; formyl_transf_C; 1"
                16287..17384
CDS
                /note="putative"
                /gene="glycotransferase"
                /blastp_match="AF285636.WCBD Burkholderia mallei"
                /blast_score=e-99
                17427..18158
CDS
                 /blast_score=2e-82
                 /blastp_match="AF285636.WZM Burkholderia mallei"
                 /gene="ABC-2 transporter Wzm"
                 /note="putative"
                /pfam_match="PF01061; ABC2_membrane; 1"
                 18248..18847
CDS
                 /blast_score=7e-61
                 /blastp_match="AF285636.WZT Burkholderia mallei"
                 /gene="ABC-2 transporter Wzt"
                 /note="putative "
                 /pfam_match="PF00005; ABC_tran; 1"
                 18952..20346
 CDS
                 /note="putative"
                 /gene="glycosyltranferase"
                 /blast_score=e-101
                 /blastp_match="AF285636.WCBE Burkholderia mallei"
                 /pfam_match="Glycos_transf_1"
                 20442..21167
 CDS
                 /note="putative"
                 /qene="unknow"
                 /blast_score=1e-26
                 /blastp_match="AE009248.ATU3189 Agrobacterium tumefaciens"
                 complement (21164..24301)
 CDS
                  /note="tranporter domain"
                  /gene="unknow"
                  /blast_score=5e-29
                 /blastp_match="AE009122.ATU1658 Agrobacterium tumefaciens"
                 /prosite_match="PS00402; BPD_TRANSP_INN_MEMBR; UNKNOWN_1"
                  complement (24351..27023)
 CDS
                  /note="none"
                 /gene="unknow"
                  /blast score=5e-29
                  /blastp_match="AP003581.ALR0267 Nostoc sp"
                  complement (27806..29686)
 CDS
                  /note="none"
                  /gene="cell surfarce protein"
                  /blast score=2e-34
                  /blastp_match="AE010748.MA0851 2567 Methanosarcina
                  acetivorans"
                  /product="cell surface protein"
                  complement (29535..30872)
 CDS
```

23 /35

```
/note="none"
                /gene="cell surface protein"
                /blast_score=2e-36
                /blastp_match="AE010748.MA0851 Methanosarcina acetivorans"
                complement (30848..32647)
CDS
                /note="fragment"
                /gene="0-antigen"
                /blast_score=1e-72
                /blastp_match="AF105060.RFBC Riftia pachyptila"
                /product="O-antigen biosynthesis protein"
                /pfam_match="PF00535; Glycos_transf_2"
                complement (32574..35555)
CDS
                /note="putative"
                /gene="glycosyltransferase"
                /blast_score=7e-46
                /blastp_match="AE013462.MM2213 Methanosarcina mazei "
                complement (35533..36598)
CDS
                /blast_score=7e-37
                /blastp_match="AE013462.MM2213 Methanosarcina mazei"
                /gene="glycosyltransferase"
                /note="putative"
                complement (36516..37400)
CDS
                /blast_score=8e-22
                /blastp_match="AP003581.ALR0267 Nostoc sp"
                /gene="ALR0267"
                /note="putative ATP/GTP-binding protein, esterase fush
                9e-14"
Sequence 37507 BP; 5531 A; 13507 C; 13011 G; 5458 T; 0 other;
gateceacga teggegecag eggattgege agetegtgeg egageatege gaggaacteg
                                                                           60
gtcacgtggc ggccctcggc ctccagctcc tccatgcgct tgcggtgcga gaggtcgcgc
                                                                          120
gtcacettgg cgaageceat gtgcetteca etegegtege gaagegeegt caegaegaeg
                                                                          180
teggeccaga agegegtgee gteettgege aegegecage eegtgteete ggegeggegg
                                                                          240
tgcagcagcg catcgtgcag ctcggcctcc gggcggccgg ccgcggcatc ctcgggcgga
                                                                          300 _
tagaagageg aaaagtgeeg teegatgate tetteggege tgtageeggt gatgegeteg
                                                                          360
gegecettgt tecagetggt caegtggece geggggteca geatgtagat egegtagtee
                                                                          420
tgcacgcctt cgatcaggag gcgcgagcgc tcctcgcttt gccgcagctg ctcctcgtgc
                                                                          480
tegeggeget eggteaggte gegegtgace ttgeegaage egaceagegt geegteeteg
                                                                          540
tegegeageg cegtgatgat gaegttggee cagaagegee ggeegteett gegeaegege
                                                                          600
cagcoctcgt cotogaageg geogtecteg egtgegegea geageteett ggegggeeag
                                                                          660
tegegegega tgteeteete ggtgtagaac geggagaaat ggeggeegat gatetetteg
                                                                          720
 gegegatage cetteaactg tteggegece gegttecaeg aacgeaegta geceteggga
                                                                          780
 tegageacga agategegta gteegtgaeg gaceegaeca geageeggaa gatggegtee
                                                                          840
 tegeeggeea geeggetegg ggegeegaag gegaggttge geacegaggg cegeggaceg
                                                                          900
 gatgggcttg gcatggctat tagggtacaa cggtgcacgc aagttgcaat cggacaatca
                                                                          960
 gagataattg cttgatgaag atgccatttt tggaattctt acgcagggag ctggggacgc
                                                                         1020
 tegaggecca gggeetgtae aagteegage gegtgetega eteteegeag ggegeeageg
                                                                         1080
 tgcaggtggc cgcccacgac gtgctcaact tctgcgccaa taactacctc ggcctggcca
                                                                         1140
 accaccegge ectggtegeg geegegaagg agacgetega gegegaegge taeggeatgg
                                                                         1200
 egteggtteg etteatetge gggaegeaeg eegtgeaeeg egagetggag aegegeeteg
                                                                         1260
 cgcgcttcct cggcaccgag gacgcgatcc tgtacggctc ctgcttcgac gccaacggcg
                                                                         1320
 ggetettega gacgetgetg ggegaggagg acgeggtgat eteggacgeg etgaaccaeg
                                                                         1380
 cctcgatcat cgacggcgtg cgcctctcga aggcgaagcg cttccgctac gacaacaacg
                                                                         1440
 acatggcgag cctcgaggcc cagctgaagg cggcggacgc ggccggcgcg cgctacaaga
                                                                         1500
 tgatcgccac cgacggcgtg ttctcgatgg acggcatcgt cgcgaacctg ggcgccatct
                                                                         1560
 gcgagctggc cgggcgctac cacgcgatgg tgatggtgga cgactcgcac gccgtgggct
                                                                         1620
```

		_	4 733			
tastaaacac	gcacgggcgg	ggaacgcccg	agcattgcgg	tgtcgaaggg	aaggtggaca	1680
		aaddccctuu	acaacacacac	CggCggCcac		1740
	~~+~~~~+~~	cttcccaacc	acticacactic	CLACCECE	000000	1800
	astagagaga	acatcactca	aggructura	cccccgag	22-22-22-2	1860
	assact caca	cacaacaccc	gecaetteeg	cggcgagacg	acgegeees	1920
and the same of th	***********	gaccatccga	ECALCUCYYL	gatgetggg	94994449	1980
	~~+~~~~~~	caactacta	addaaqqcac	ccacgcggcc	9900000	2040
	TOTOCOCOCOC	caddcacaca	ECCUCACUCA	gatgetggtt	9000003000	2100 2160
	agat cacaca	atcoccocct	EEGCCaaage	cgggcgcgac	005550500	2220
	accetttega	agacgaagcg	egageeegge	acceggaegg	009090-5	2220
	at agagaaaa	accacctcct	gateceque	aagaagaccg	0000003033	2340
	aaaatattaa	actoggacga	CEGGECGCAG	aayaccaccc	09909005	2400
	andacattact.	raddcaedde	ggaggccacg	9900099099	0909033	2460
	aaaaaaatat	ccaacaaaa	ccacatcqtc	Lycyyctace	90090000	2520
	~~~~~~~~~	rataccacaa	cacucaqqq	9-999-9-9-	4005000033	2580
	- mantanton	toattccccc	qqaqaacgcg	LLCCCGGCCC	009-09	2640
	atawaataa	tcctcgatcc	gtttqqtaat	gcggcgcaca	005050	2700
and the second s	~+~~~~~~~~	acatactaat	caccoococc	qqqccgaccg	goadoadgg	2760
	~~~~~~~~~	rcaacacaca	CCacqueque	accacggaca		2820
	t	amardddidc	Caucuruu	g cgaacg cac	-5	2880
cctgaaggac	gtgatgcgcg	ageteggeat	ggtcgagggc	atgaaccacg	gcggcaagat	2940
gtcgggcgtg	ccctcggcct	teegeeagat	geregatedae	togacccagg	tgatcttcaa	3000
cgccatgctc	ggcatccggcg atcaagggcg	ccagcgaggc	cgagatatta	gagacctggt	acaaqatgat	3060
gggcctggtc	atcaagggcg	teracegee	acceatagte	acgcaccgct	tcgacgtgcg	3120
cgccatgctg	aagggcttcg	agaccccc	ct.ccgggaaa	tccgggaaag	tcgacgtgcg tcgtcctgtc	3180
cgagtacctg	aagggetteg	agacgacggg	ccaattccca	cqqcqqcgat	cgtgcaggcg	3240
gtgggattag	- agagggeeac	atttccccc	tageteacat	gcgacttcgc	cgtcgacgca	3300
		caraaacaca	ECUCLUCION	acgeecasss		3360
ccgatcgcga	: cgatggccgg	caccacacac	gacaccccgt	ggctaccgac	cggcacgtat	3420
aaat-aa	· tacacctaga	accattccac	traccagaca	Caaccaccc	350-3-5	3480
	, taaaaataca	aggtgaggg	cacatcatas	Ccaccycage	999050355	3540
	- 42000022000	cataacacac	acaaccigge	accucgagge		3600
	· tarararari	addetaatee	dallicated	acageeggee	000000	3660
	* ~~+~~~~~~~~	atacatcaaa	Lacciququq	CCggacggcc		3720
	· tagatacaga	atocoocoac	qqcalcacgg	Cgcccggcac		3780
+-+~~~~~	- accaddiddi	gaacatcaat	ceggggege	gctaceggge	3000000	3840
atactacac	- occaegeet	caaccacctc	gegetgeegg	acaacccgca	. goodoo	3900
accastacca	acacactccc	: attcaccaac	agcagcttcg	acgleacege	cccgcggaco	3960 4020
-aaat-aaaa	, atttcataa	r caactaccta	ccccccccc	ccgaggcgcg	9099909000	4080
	_ ~~~+~~+~~+	· catccatccc	gagetetaet	acaccycyca	. ccacggccac	4140
	- antarance	r coaccette	CCCCCCLGG	Lyaayicegee	. 0940949949	4200
arrenant a	, tatteaacac	· agacatgage	Ciccacgacc	. 9099099000	. 0505050	4260
	a sataacactc	r oracaacoao	cccaatcqca	Leacygeege	, 500533	4320
	a addadateda	cttcgagccg	reaccaccide	Caccycycy	, cgagoogees	4380
atacata a	a addeddaadet	: actacactac	cocttcacy	agergggege	. 0000343000	4440
+ a aat aacc	r gcatcaacco	r caageceqte	rcagalggil	. Cctacaggac	, 9000333-03	4500
	a aatssaaata	, accadaacdo	r daattuaaqu	Cycaagcgcg	, cegoowood	4560
cgtcactcc	c ggactgccgg	gatcaccctc	acaggagaac	gaeaactaa	gacccagacc	4620
anagagat a	r traccacaa	: cctactatc	: cttqccggc	. Ccacycryy	, 0090900	4680
accet as ac	a taacaaacaa	. gagcgaagt	; ccqcccg.cc	i ceregagege	, 2003330030	4740
ggcacggtg	g tcgtgaaggo	c cgattgcacg	gecaccycy	. ccaacacaa	caccggcatg	4800
accgccacc	g cggcccacat	ccacgaaggo	aayyeeyyee	, caaacaccee	g cgtggcagtc	4860
ccgttcgtg	a agaccgcgg	a cacacggtto	.gayycaycc	acatacacac	gatgaccgag	4920
gcgcagtgc	g ccgcgtaca	a ggcyggcygc	, accuacycyc	r gcagccocto	g cgaggcccac g caaaaaqaaa	4980
aagggcggc	g aggreegege	. ccagctggcc	. ggcaagcags	ggggcgaaa	g caaaaagaaa g gattcgaacc	5040
aagcccgcg	c aagcgggcti	Licegrigae	. 3300003300	- 3333-3-4-3	, ,	

		gcaggtgcgc	taccaggetg	cqctacgccc	cgaccgaact	5100
						5160
						5220
tagcatccgc	ccatggcgac	ggccgggcga	cacaacatet	gcatcgacaa	ctactccaac	5280
atcctctgcg	cactggccca	ggeegggega	cadatcocac	ccaattacat	cgaggccttc .	5340
agctcgccgc	gttccatcga	acgcgtgctg	cagacogoas	tracadada	cgacgtggac	5400
						5460
						5520
						5580
						5640
						5700
						5760
						5820
						5880
						5940
						6000
						6060
						6120
						6180
						6240
						6300
						6360
						. 6420
						6480
						6540
						6600
		aaacacacacaca	aucuuccuu	~~ <u>~</u> ~~~~~~~~	,	6660
						6720
						6780
						6840
						6900
						6960
.'		. darcoccate	uucuayacyc	90003303	33.333.44	7020
						7080
		• ~++~~~~~~	Haccadeaca	4004094343		7140
						7200
acaaacata	tggtgctgae	gyacceegae	. acagaccact	cctccagcct	caccgtgccc	7260
gccgtcgtcg	g ccgcgagcgg	g cytyaatate	, gogggoogo , gatatataca	agcgcgccgg	categaceeg tecgategag	7320
agcgtcgatg	g cccaggctgc	accyclyccy	. accdacacca	taataaaca	tccgatcgag	7380
tccgagatc	g actacctcg	ggeeeacgge	, accessores	gccaccagc	tccgatcgag	7440
acccgcgcc	c teggeatege	geregggege	, cegegeeege	caaacataa	gctgccgatc gggcctggtg	7500
ggttcggtga	a agagcaacg	eggecaceuc	, gaggeggeee	ccatccacct	gggcctggtg cgattcgccc	7560
aaggcgctg	c attgcctcae	a geacegegeg	gtgeegeeee	tectegage	cgattcgccc	7620
aaccccaac	a tccacttcg	a cgaguggaac	. cogaageegg	r acttegaca	geteaegete gegeeaaegeg	7680
		r rancaucut	aaccoq coc	3000000	,, - -	7740
						7800
gtggcgctc	a tgctgagcg	g ccacgacgac	geggegetge	gegaegegg	ggcctcgtac	7860
	a taasaaaaaa	r coaocaacc	: acactace	l acaccasca		7920
		a actecacaca	: acaacaacc	I GCaccacac	J , - J J	7980
	- +aaaaaaaat	t caccaaaaa	. cacaacacu	; ccggcgcc	v 5~5~555-	8040
	a addedteed	a accedeatt	: acataticy	, acarea	- J	8100
	a accordated	t caccaacaa	r ccaatuttu	, 909005005	- 3	8160
	+ +~~~~~~~	t caacaacta	e cccatcccc	ayacgcc55	~ <u></u>	8220
	a saataaacc	~ caccdadat(e occeauces	, Lgoodaaa	5-5	8280
		a ccactooo	e arccaucce	1 69696966		8340
	<i></i>	a rraaacaaa	e dacacycly	x		8400
		~ ataccaddd	r dadaccaau	4 404099979	- 33	8460 8460
atcaaccte	d ccdaddacd	c cgcgcgccg	c cagatcgag	g cgctcgggt	t. gaagggcgag	0400
30033000	.,JJJJ					

					~~~~~~	8520
gtgaacgtcg	cgtgcatcaa	cagcacgcgc	aacgtgacgc	tegeeggeae	gegegeegge	8580
	Fraaaaccaa -	actcacqcaq	cgcaaggugu	Lucacugues	0000344000	8640
		aacaataaac	ecquiququq	acgggcccgc	949494949	8700
agaggaatas (	caccacacac	cacccqqqtc	gegtteeatt	cggcggccac	cggcccgccc	8760
anagadadan :	accadeteda	caccacctac	tggtggagca	acacccgcga	2003303030	8820
ttagaggggg (	coat.ccocoo	catcgccgag	tcgggcgtca	acgeetteat	cgagaccggc	8880
aaaaaacccca	tecteaagaa	ctacatcaac	gacggcctgc	gegeegeete	gaccgagggc	
	tasaaataca	acact.caaca	accattccc	eggegareeg	egeegeegee	8940
asaasaataa i	taatcaccaa	ctacccaata	qaqaccgcga	agacgcccc	C2C2CC2222C	9000
acattaataa :	addtaccacc	ctacccgtgg	caqcqcyagc	gccaccggcg	cgcgccacc	9060
+accordant:	accacctcat	ccagcacggc	aagcagcacc	egetgetggg	Ccaccycccy	9120
	aattaaaata	ggaaaaccac	atcdacaccq	egeletatee	ggcgcacgcg	9180
andatated '	t <i>caacaacac</i>	cataatattc	cccgcggccg	geeegeega	9409909000	9240
addagat car	caatcacact.	aaacaacaac	qcqcacyaya	Legagaegee	cgagaccaga	9300
agggggtgc	tactcaagga	ctccacqtcq	aagaccgtgc	gerregeger	ggaaccegae	9360
~~aaaaattaa	caatccccag	ccacactcac	ctgagcgagg	acceguged	accedacy of	9420
at aggesage	tagteggeac	gcccaccgag	cttccgcgcg	egeegeea	9009909009	9480
tararasara	ccgatgtgat	cacaacccaa	cactacgaag	gegeegegaa	ggccggcccc	9540
aact acaacc	caacetteca	atcaatctcc	aaggtgtggc	tegacgeege	ggacceggge	9600
agggggtagg	cacacctaat	cctccccaag	ccgattcgcg	gegagerggg	cgcgacgcac	9660
at an an an and an	catcactaga	caactacttc	cagctgctgg	tegacetyce	gcgcgccgag	9720
andt anamar	acgcgcagat	caccttcata	ccqatcctgg	tegggegeac	gegeeceae	9780
aataaa	agateateac	cacctaccac	atccacctaa	ccgcgcgcag	cccgcgcccg	9840
at aat aaaaa	acttcgaggt	ctacoocccc	aacggcgacg	LggLggCCgC	geceacegge	9900
atacacttcc	acaacat.cca.	actaaaacaa	ccacagggcg	cgcgcccgcg	0000005005	9960
+ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	teceacacact	gaatggcggc	qacacgccgg	gcgccaagee	googooo	, 10020
acattactaa	ccacaacata	caacaaacac	tggcattcgc	tereggeegg	eccycycaag	10080
aactactaca	atgaggtcga	accactetee	gacgtgctgt	geagereerr	cyccyaycac	10140
~~~atacaa	agcggat.cgg	CGAGGCCCCG	ctcatcgacc	eggeegegee	egeegeeg	10200
aggggggggg	aggattgggg	actecteaaq	cgcgcgatcc	agatgetygt	cgaggaccag	10260
ttaataaaaa	ccaccaaaaa	caactaacac	tqqaqcccgg	teacegaarr	gcccgacgcg	10320
gaggagget	ggatcacgct	actacacaac	tacccggacg	aggeeggeea	geegacegeg	10380
at aggggggg	ccggcgctca	cctcgcggaa	gtgttcgccg	gcaaggaagc	guadauguag	10440
cccgggcgcg	caaccacaca	ggcgaacgtg	ttcgcgcgcc	tgtgctcggg	cgcacccgcg	10500
ttaadaaaca	cadacacac	catcgccgac	acgctggcgc	tcgccctcga	gcgcctgccc	10560
cccgccaacg	cactacacat	actegaggtg	acgccgtgcc	gctccgagat	cacgetgege	10620
at act casad	ccatagaect	caaccactac	gagtaccacg	teggergeac	Cacggacgaa	10680
gccccgagg	actaccaacc	catactaat	gccattccgc	acgtcgagac	ttgcgtcgtg	10740
gcactgggcg	tecegagest	gggcctgaag	gcgccgaacc	agggcccgtt	cgatgtcgtg	10800
gaccigaaga	atogcctgct	caatacaacc	gateeggatg	cggccgcggc	gcacctcgcc	10860
accyceces	cadaadacad	actactaate	atogtcgcgc	agcatccgtc	gcgctggacc	10920
ggegegeteg	traararara	cccaacataa	tggacgctcg	ggccctcggg	ctcgcagcgc	10980
tagagaataa	atteaccaga	caaataacac	atcqcqctgg	cccaccingg	CCCCGGGCCC	11040
aggregate aggregate	taccagaget	acccaacctc	gagegegget	cgtacgtcct	catggcgcgg	11100
accounte	caataccaca	gactaccaaa	cacagogtto	ccgccaagtc	gggctggatc	11160
thattagaga	caacaaaaa	ttattcggcg	acattcaaca	cctgcgtgca	ggcggatctg	11220
cccgcgcagg	aagegggegg	attegagate	gcgcccgatt	ccqtcgaggg	ggccgagatg	11280
cgcgcacgcg	gccacgcgg	ccagacacta	ggcgacatca	geggeatege	cttcctggcc	11340
gegeagereg	cacacacaca	caccacaaa	gacgcggccg	agcgcctcgc	gcgccagacc	11400
ggeeegeeeg	acgacycygc	acacctacto	coccaatoca	aggegagtge	catgacaccc	11460
gegegetgeg	taatasaata	. aaacacaaac	tccagcctgg	cgcgcaacqt	cccgccctt	11520
gcggcgcgga	angagaget an	. gggcgcggc	gaggggatgg	tatgggggtt	cgcgcgcacc	11580
gccccgcgcc	geegeeeee	. catacacata	r caccheataa	actoccoaa	cccggagaac	11640
gcgatgaacg	aacceeega	. googegeeeg	, agactactet	caccaccac	cgacgacgag	11700
ctcgagcgca	acgeegeece	, googgogoag	. ctacacatae	acacaataca	geegeeegea	11760
gtggtcctca	ceggegeegg	gagaetaea	, cacataaat	tegeegege	cggcccacta	11820
teegtgegea	ccgctaccca	. gggcaccacg	. cacasaccac	gegegaacga	ggtggaaatc	11880
aagaacctcg	caraacacaa	cyacytycyc	. cycaayccyc			

gaggtgcgcg ccgcgggcct caacttccgc gacgtgatgt acgcgatggg cctgctccc	11940
gaggtgcgcg ccgcgggcct caacttccgc gacgtgatgs acgaggct ctcgggcgtc gacgaggcgg tcgagggcgg cttcgccgc gcgcgcgcg qcgacgaggt gctcgcgttc	12000
qacgaggcgg tcgagggcgg cttcgccggc gcgacgaggt qctcgcgttc	12060
gacgaggegg tegagggegg ettegeegge getegeegg gegacgaggt getegegtte gteacegeeg teggeaagga egtgaceteg gtegegegg gegacgaggt getegegtte	12120
gtcaccgccg tcggcaagga cgtgacctcg gtcgcgcg attcggtcgc gaagaagccc gcgccctcgg cgttcgccac gcacgtggtc accaccgccg attcggtcgc gaagaagccc	12180
gegeetegg egttegeeae geaegtegte acceegaceg egttetteae egtgtaetae geeggetega egttegagte egeggeegeg gegagegeg teetgateea eggegeegeg	12240
gccggctgga cgttcgagtc cgcggccacc acccggcgcg tcctgatcca cggcgccgcg tcgttgaagc acctggccca gctgcgcgag ggcgagtggc tgggcgcgga gatcttcgcc	12300
togttgaage acctggccca getgcgcgay ggcgagegg tgggcgcgga gatettegee ggcggcgtgg geategeege gatecaggte gecaagtge tgggcgcgga caegtgete	12360
ggcggcgtgg gcatcgccgc gatccaggtc gccatgcggc tgggcgcgga ccacgtgctc accgccggct ccgacgagaa gcgcgacttc gtgcgcctgc tgggcgcgga ccacgtgctc	12420
accgccggct ccgacgagaa gcgcgacttc gtgcgcccgc bysselfs gaggggggtc gactcgcgca cgctcacgtt cgccgacgag gccattgcgc gcaacctgcg cgcgctgcgc	12480
gactcgcgca cgctcacgtt cgccgacgac gractgcgc gcaacctgcg cgcgctgcgc gacgtggtgc tgaactcgct ctccggcgag gccattgcgc gcaacctgcg cgcgctact acqagaacac gcacatcggc	12540
gacgtggtgc tgaactcgct ctccggcgag gctattgcgc gctactcggc ccgttcggcc gcttcatcga gctcggcaag cgcgactact acgagaacac gcacatcggc ccgttcggcc gcttcatcga gctcatgaag ttcggcgtcg atgccgacca gctcatgaag	12600
ccgttcggcc gcttcatcga gctcggcaag cgcgaccas tcgggcgacca gctcatgaag ctgcgcccgt tccgcaacaa catctcgtac ttcggcgtcg atgccgacca gctcatgaag ctgcgcccgt tccgcaacaa catctcgtac tcgagcgctga tgcagctctt cgagcagggc	12660
etgegeeegt teegeaacaa catetegtae tteggegeeg teggetett egageaggge gageggeeeg acetegegeg ceagetette aacgagetga tgeagetett egageaggge gageggeeeg ageetteege	12720
gageggeeeg acetegegeg ecagetette aceguseegu og by gageggeege ageetteege gtgetetege egetgeeeta eegegeette geegeeaceg aggeggtgga ageetteege gtgetetege egetgeega eggegtgaag	12780
gtgetetege egetgeeeta eegegeette geegeeateg aggegege eggegtgaag tacatgeage actegegea gateggeaag gagetggege tgtegeegaa egecaegtae	12840
tacatgcagc actogogca gateggcaag gtggegege tgtcgccgaa cgccacgtac gcgcagcccg cecggcccgc cgtgccgcg gagetggcgc cqcagtggct ggtggacaag	12900
gegeageeeg ceeggeeege egtgeegege gageeggege egcagtgget ggtggacaag etegteaceg geggeetgte gggettegge etgegeaceg egcagtgget ggtggacaag	12960
ggtgcccgcc acctggtgct ggtccccata accgtgateg cgaaggcgtq cgacatcacc	13020
geggtggeeg acetegagge ceaggggege gaggtggeg eegetgeege	13080
gaccgcgct ccgtgcaacg gctgctcgcc gagggcttca tcaccaacat gacggccgcg	13140
gaccgcgcct ccgtgcaacg gctgctcgcc gaggccgcgs tcaccaacat gacggccgcg ggcgtgatcc acgcggcgc cgtgatccag gacggctca tcaccaacat gacggccgcg	13200
cagateegeg aegtgetgge geecaaggat tagtegg cgaegaeget qtteggeaac	13260.
cgcggcgcca agctcgattt cttcgtgg tagttggtcg aggcactcgc caaggcgcgc	13320
ccgggccagg ccaactacat cgcggccate cgctgggca cgatcggga cgtgggctac	13380
egegtegagg gedageegge getgeggg stateagarge acatgggegg cacegeacte	13440
ctegegegee acgagaaggt gaaggaagee cagetestee tegegegacge ctegggeete	13500
gagteggagg eegegetege ggtgeeggag eggegtteg tegegagege egectegeeg	13560
ggcgtgctcg acttcagctg gcgcaacca gacgaagg acgacgacga ccggcgcggc	13620
egetteegeg agetgggege gegegggggggggggggg	13680
gagetgegee geetegeeda tegagetgete geneterene eggategege egataegege	13740
ctgctgcgcc gcgaggtggg cgagatcctg cycatcccy cggagctgct gaccgcggtg caggccttgc aggaaatggg catggattcg ctgatgggcg tggagctgct gaccgcggtg atgtcgctct ccgagcagcc gtcgatcgag	13800
cagecettge aggaaatggg catggatteg etgategggg catgategag gaggegeget teggegtgaa cetgeeggtg atgtegetet eegageagee gtegategag gaggegeget teggegtgaa eegaggeegaa aegeeggeae egaggeegaa	13860
gaggegeget teggegtgaa eetgeeggtg atgtegess oogsgeac egaggeegaa aagetggteg accgeategt gegegegetg aaggaeeega acgeeggget egaetegege	13920
aagotggtog accagatogt gegegtoget daggacooga cgcccgaget egactegege tegegeageg accagatoga gegegtege gacagaag ccaegeagea gggacgtocg	13980
tegegeageg accagatega gegegetegat gaegegeaag ceaegeagea gggaegteeg caggtegag ageteaegea ggeggtegat gaegeagtgaa ggaqeagetg atecagegeg	14040
caggtcgagg agetcacgea ggeggtcgat gaegegetaa ggagcagetg atccagegeg tgaaggegeg caaceteege ggeetetege aggagagtgaa ggagcagete gagtcegeea	14100
tgaaggcgcg caaceteege ggeetetege aggeaggge eteggeggte gagteegeea tgetegagea gegegtgege egggtegaga aggacaagee eteggeggte gagteegeea tgetegagea gegegtgege tgagegagat eteggagege tactgeeget	14160
tgetegagea gegegtgege egggtegaga aggaeatge eteggagege taetgeeget teaaegeett eegeeeegae eeegatgeee tgggeeacat eteggagege taetgeeget	14220
tcaacgcctt ccgccccgac cccgatgccc tgggcctcdd cogg gcgaagctgg tcgacatgca cccggtctac cagcagatgc agcggtgaa ggaaggtgcc gcgaagctgg tcgacatgca cccggtctac cagcagagg aggggtggc cgcggatacc acgcgcattg	14280
togacatgca cocggtotac cagcagatgc agetgggggg cgcggatacc acgcgcattg gcattcccga tocgtacttc cgcgcgcacg acggcgtggc cgcggatacc acgcgcattg	14340
gcattcccga tccgtacttc cgcgcgcacg acggcgcsct cggcttctgc ggcgacccgg ccgggcgcga gtacatcaac ttctccagct acaactacct cggcttctgc ggcgacccgg	14400 14460,
ccgggcgcga gtacatcaac ttetccaget acaactace oggccctcggt ctcggccagc ccgtggatge cgcggccaag caggccatcg acgaatacgg gaccetcggt ctcggccagc	
ecgtggatge cgeggeeaag caggeeateg acgaatacgg gueensijs agegegeate cgeegaggte aggetegtgt ceggegageg geegetgeae eggegagetgg agegeaaegt etceaecate	14520 14580
aggetegtgt eeggegageg geegetgear eggegageaeg egaceaaegt etceaceate tatggegtge aegacgeegt ggeetteate ageggeeaeg egtegtgea caacageate	14640
tatggcgtgc acgacgccgt ggccttcatc agcggcddcg cgttcgtgca caacagcatc ggccacctgt tcgggccgcg cgacctcatc gtgcacgacg cgttcgtgca caacagcatc	14700
ggccacetgt tegggeegeg egaceteate gtgtaegaeg egacegeacaa egactggegg etgatggea tecagetete gggegeeaag egcactteg agegegtget gategtgate	14760
ctgatgggca tccagctctc gggcgccaag cgcacttcg agcgcgtgct gatcgtgatc gccctggacg agctgctgcg cgcgagcgc cgcaacttcg agcgcgtgct gatcgtgatc	14820
geortggaeg agetgetgeg egegeagege egedagetge eegaattete gegeetgege gagggegtet acageatgga eggggaetae eeegagetge eetteggegt gatgggeeeg	14880
gagggcgtct acagcatgga cggggactac cccgagcgcact ccttcggcgt gatgggcccg cgccgccacc gcgcgttcct gatggtggat gaagcgcact ccttcggcgt gatgggccg	14940
cgccgccacc gcgcgttcct gatggtggat gaaggcgcgc acgaggccga catctggatg cgcggcttcg gcatccgcga ccacttcggc atggccggcg acgaggccga gaaggcgctg	15000
egeggetteg geateegega edacttegge atggeegget tegeggega gaaggegetg ggeacgetet ecaagaeget egeetegtge ggeggettea tegeeggega gaaggegetg	15060
ggcacgetet ecaagaeget egeetegtge ggcggeteten oggegetegeat ggcecegece gtegageace tgaagttege egeetegge tteetetaca gegteggeat ggcgetggee	15120
gtcgagcacc tgaagttcgc cgcccccggc ttccccacc 3534555 gcgcgtggcc gtggcggccg cggcgctcgc cgcgctgaac cgcatgcgcg aggagccggc gcgcgcggg catcgacgtg	15120
gtggcggccg cgcgctcgc cgcgctgaac cgcatgagcg gcgccgcggg catcgacgtg gccctgcagg cgcgcggacg cttcttcctc gaggccgcgc gcgccgcggg catcgacgtg	15240
geeetgeagg egegeggaeg ettetteete gaggeegg geagetegat eegegeeggg ggeetetege agggeatgge egtggtgee geeateaceg geagetegat etaeceggee	15300
ggcctctcgc agggcatggc cgtggtgcc gccaccacd godgatcgt ctacccggcc cgcctggccg aggcgatgtt ccagcgcgc atcaacgtcc agccgatcgt ctacccggcc	20000
0300033000 0 0 0 0 0 0 0 0 0 0 0 0 0 0	

		0			
gtgcaggaga actcggcgcg	cctgcgcttc	ttcgtgagcg	ccacgcacac	cgaggagcag	15360
ctgcgcttca cggtccgcga	gctcgccgac	gcctggcgca	agetetgagt	ggegggeeee	15420
caactacaca tcatcatcta	cacccacggc	ggcctgaacg	gcgcgctggt	getetegegg	12400
ctactaacca ccccacact	cgaagtctcc	gcgctggtga	tctccagccg	cgcgcgcggt	15540
gcccatgagt cgtatggccg	tgccgcgctc	ggatacgtgc	gcgcgagcgg	egregeetat	15600
acactatace tetaatacac	cacggcgctc	gccgacctgc	tgctgcgcgg	cacgreegag	15660
gacccaatca cacacatcac	cctcgcgcgc	ggcatcccgc	teetegeeae	geegegegeg	15720
aacgatgcca ccgcgcgcgc	cttcatcgcg	ggggcggcgc	cggacctgat	cgtctccgcg	15780
ttcttcaacc agcacatcga	cqccgacgtg	gctgcgctcg	cgcgcgtggc	cgcggtcaac	15840
atccacccqt cqccqctqcc	gcacttccgc	ggcgtggatc	cggtgtcctt	cacacaccra	15900
cacaatacca aacaccacaa	cqtgagcgtg	catcgcatcg	aacccggctt	cgataccggc	15960
gegetgeteg eccaggaaac	cgacgtcgag	gcccccggca	gcgtctttgc	cgccaccgcg	16020
gcgctctatg accgcggggg	ggcgctcctc	gccggccgtg	ccgcggcgct	ggccgccgac	16080
ccgcgcggaa cccccaqcc	ggcggggggc	tcctacgact	cctggcccac	ccgcgcccag	16140
atcaccacct tccqqcqcqc	cggcgggcgc	ctgctccgcg	cccgcgacct	grggegeere	16200
acacaccaga qaccaacca	tttcgtaata	gaatcagcgc	ggtagcggcg	actcacgccg	16260
conttttccc cgaccccccq	aggeceatga	aacactggct	gaagcaacac	gcaatcttcg	16320
coctcaccot cctoctocco	accgtggccg	cgatcctcta	cttcggcctg	ategeeteeg	16380
acqtctacat ctccqaatca	cacttegtgg	tgaggagccc	ccagcgccag	grgcagaccg	16440
acctaataga caccctacto	tegggeaceg	gcttctcgcg	ctcccaggac	gacacctact	16500
cogtocacoa cttcatcaco	tegegegaeg	cgctgggcga	gctggacaag	aagetegeeg	16560
tccqcaaqct ctacacggcc	gccaacatcg	acttcatcaa	ccgcttcccg	gggcccgacc	16620
gggacgacag cttcgaggcg	ttccaccgct	actaccagaa	gaaggtcacg	atcgacttcg	16680
acaccocotc ctcqatcaco	gtgctgcgcg	tgcgcgcctt	cgagaaggcc	gactcgcggc	16740
gcatcaacga cctqctgctg	cagatgggcg	agcgcctggt	gaacgagctg	aacgagcgca	16800
gccgccagga cctgatccgc	ttcgcgcagg	ccgaggtctc	gctcgccgag	gacaaggtga	16860
aggatgccgc gctggcgctc	tccgccttcc	gcagcaacca	gtcggtgttc	gagcccgacc	16920
gccaggcctc gatccagctg	cagggcgtgg	ccaagctcca	ggaggagctc	atcgccaccg	16980
aggggcaget ggcacagetg	cgcaagctct	cgcccgacaa	cccgcagatc	aacacacca	17040
agaacaagtc ggcggcgctg	cgcgtggcga	tggcgcgcga	gtccgccaag	gtgaccggcg	17100
gcagcggctc gttcagcgcg	cgcgccccgg	cgttcgagcg	cctcaccctc	gagaagggct	17160
tegeegaceg ceagetggg	gttgccctca	ccgcgctgga	gaccgcgcgc	agcgaggcgc	17220
agaggaagca gctctacctc	gagcgcatcg	tgcagcccaa	cctgcccgac	gaatcggtcg	17280
ageogegee cateegeteg	atcttcaccg	tgttcgtgct	gggcctggtg	gcctggggcg	17340
togtgageet getggtggeg	agcgtgcgcg	agcacgtcga	ctaggccgtg	gagcagaacc	17400
cttccctcct qcqcqccctc	: ggggtgcagc	ggcgcgtgct	ctacgcgctg	ctgatgcgcg	17460
aggtcatcac gcgcttcggg	cgcgacgacc	teggegtget	gtggctggtg	gtcgagccga	17520
toatetteae geteggegte	acggccctgt	ggaccgcggc	cggcatgaac	cacggctcgt	17580
cgctgccgat cgtggccttc	gcggtcaccg	gatactccgc	ggtgctggta	tggcgcaact	17640
acaceteges escetesate	gccatcgagg	ccaacaaggg	cctgctcttc	caccgcaacg	17700
tococotoat coacototto	gtgacgcgca	tcatcctcga	gatcgcgggc	gccacggcgt	17760
cattcaccat actagacata	: ttcttcatct	ggatcggctg	gatgccgatg	ccgatcgaca	17820
toctcaaggt cgcgttcggc	: tggttcatgc	tgtcgtggtt	cggcgccagc	ctggcgctcg	17880
ccatcggcgc cggcaccgcg	r tactcgctgg	tggtcgagcg	gctgtggccg	ccgacggcct	17940
acctactatt cccactctc	ggcgccgcct	tcatggtcga	gtggctgccg	gagaaattcc	18000
aggagttegt getettgetg	r ccgatggtgc	acggcaccga	gctgctgcgc	gacggctact	18060
tcqqcaacqc ggtgcgcacq	cactacgacg	tgggctacat	ggcaacggtc	tegetgggee	18120
tateactact eggeatgeac	: ctggtgcgca	tggcggccaa	gcgcgtggag	gccgcgtgat	TRIBO
ccgggtcgag aacgtgacca	gatgtactca	cgcgcctcgg	cccagaacgt	gctgacgcgt	18240
cagettegag eteggeegeg	_I ggcgcaacat	cggcatcctc	ggcaagaacg	gcgccggcaa	18300
gtccacgctg atccgcctga	tcagcggcgc	cgagagcccc	accaccgggc	gcatcgtgcg	18360
cgagatgage gtgtcctgge	: cgctcgcctt	cggcggcgcg	ttccagaccc	acctcaccgg	18420
gctggacaac ctgaagttcg	tetgeegeat	ctacggcgtc	gactaccgcg	acaaggtcgc	18480
cttcqtcqaq qacttcaccq	agctcggcgt	gtatttccgc	gagccggtgt	tccactactc	18540
gcacggcatg atcacgcgcg	: tcgccttcgc	gctgtcgatg	gcggtggagt	tcgactgctt	18600
cctgatcgac gaggcgatgg	r tggtgggcga	cgcgcgcttc	cacgagcgct	gccacgtcga	18660
gctcttccac aagcgcaag	accgcgcctt	catcctcgtc	acccacgacg	ccaaggtgat	18720
	_				

	genetacted cetterceae 18780
caagetetat tgegagageg cetgegtget geacgagge	gg eggetgetge ceceggaggt 18840
caagetetat tgegagageg eetgegtgee gedegage egtggaegee geetaegagt tetacatgaa egaggtea	- cattaggaecteg coccttegae 18900
cgtggacgcc gcctacgagt tctactgac cgctgctct tgcctgaacg cccccgcgcg gccgctgcgc gtgctctt	agetgeggeç ggegetegae 18960
geoggettte gegtegegeg eggtegegggag	th cognitions cotoctoate 19380
gacgagacga catadagga gaggataga atataggagagacgataa atataggagagagagagagagagagagagagaga	ca tgtetacta catetecaa 19560
teteggacga etegeteace gegeteggge gegacat tetecagca categatecg gegegggge gegacat	
tggcgagcgg cggcgtgggc gcgttgggc tcgtcta	tgc gaagcgtatc tacgcggcga 20880
cgtacggcgt ggcgccaccg cccgagacaca aggcgcg	ggc cgcgctggcc acgcaggcac 21000
	icac cadadaaaa -aaa-aa
·	acac dacconsists
·	3qCq CgCgCgCg
· · · · · · · · · · · · · · · · · · ·	LUAC GASCSSSCOS "JJ" - T
aggregerg ggegregeg gegeeactga agregt	tggc caggccgatc agcgccccgg 22140
Andersan and and and and and	


cgagctcggg ggccgcgcgg aaggcggccg ccgcgtcgcg ccccaccgcc gcgaggtcgc cgcgcagccg gtagaggcgc gcgcggtggt aatagcccca gaacgggtcg gggctcgcga 22260 teagtgaate gaacgagege tegacetege egeceaegtt geegaggtee acetggtgeg 22320 egececacag ggtegeegca tgegeggeca teggetegte ggggaegaag gegeggtgga 22380 teagetegae gtegeegaag egeegetege geaacgegag etecagggeg tteageeget 22440 cgaggetege ettgtacteg egataggeat egeggtegeg gtegtattee tgegeggeae 22500 tgtcgtccat cagcgaggcc gtgagccgct ggtcgccgtg aacggtgtcg tatgcgtagg 22560 cegegegate gtegtaggge agegtggeeg egegeagega eeegaaegeg gegeggtege 22620 ggaatcccag cttgcccagc acgcggggtg ccaggtcgtg ggcttccatc tcgcccgggc 22680 tccagtcgcg cagcgccggc acgttcgagt agagccacaa cggcgtgcgg tagagctgcg 22740 ccaggtccgc gtccgggcgg ccctgcgcct cgaagatcgc cttccactcc gcgagtccct 22800 cgtggccggc ggagaagatc ggcacgtggt cgccgaagat cgccagcacg tagggccgcc 22860 egegeacete gagacgeteg accagegage geagegegeg gteggttteg gecateaceg 22920 cgcagtactt gtcgatcgcg ccctggcgca cgtgcccggc gaggaagtgc ggcgccacgt 22980 agegeggete ggegeeettg tegeceaggt agggteegtg geceateage gagaegeega 23040 acacgaagcg cggccgcgaa tcgtcgagct ccgcgatcac ggcatccatc acggccgaat 23100 ccgcgatgcg ctcgaactgg cgcggcgcat gggcgaacgc ctcgtcggcg tggaacgccg 23160 cgaagccgag cttcttgtac acgcggtcgc ggttgtagaa ccagcggtgg aacggatgga 23220 tggccacget geggtageeg tggeggegca geatgegegg cacegeatae acceggtege 23280 gcaactgccc catgtagggc agcgcgcggc agccttcctc gcccaatgcg atgccggtga 23340 ggatetegaa eteggtgteg eaggtgttge egeegateae etteaegege aggeggeegg 23400 tggtgcggcc cggccgcgtc gcgccgagga acggcagcgg gtcgcgcgcg agcggcacgc 23460 cgaacgggcg caggtcggcg agcgactcca tcatcaggaa gatgatgtcg gggcgctccg 23520 eggtggeegg geegetegee gagegeteet ggegeteeag cageegetee aegeeetege 23580 gcagccgccg cggcgcgacc gggcgggcga tgctcccggc gaccagcacg gcgtgcagga 23640 cgaageccag gegeegcacg tteaegttgt ggteggtggg egaataegte ategegtega 23700 actccaccgg ccagcggcgc aagcgtccgg cgacgaaggc gacgccgagc gcggcgagca 23760 cgagcagcca ctgccggcga tcgtcgtacg cgtcgtgcag gtcgatggcc tcggtgatct 23820 cgaacgegge ccaegecage geegegagea etgeggeage ggcaagegeg egeacegeca 23880 egegegggee atgeaggtae geeggegega acaceagege etegegageg eteaggaaat 23940 egecegggce gaccacgegg cegaagaacg egageaggee tgegtteace gegtagageg 24000 cgcccgccag cgccacggtc cccaccgtcg cgagcgccc gaccgcgacg aagagcagcg 24060 catggaagat ggcgagcagg ccggcgttcc aggccaggcg ccgcgcgcgc gccacgggtt 24120 ccacgtcata gcccaccacg aggcgccgct cgagggcggc ctgcagcacc gcgtaggcga 24180 gcacgcagac cagcgtgccg cccagcagca cgccgaggaa acccgccaaa ccagccgtgt 24240 cgtcgaggat catgggacca ccagggacgt cttccggcca gtctataacg ccccgccca 24300 tgaaaaacgg cgaggcccgg gggcctcgcc gtggagggaa ccgcgcaacc tcagggttgc 24360 gggggtgcga ccgaccagcc gccggggccg atcaggtttg cgctgccgat ggtggcgagc 24420 ccgttcatca ggcgcaccgt gacgctgccg tcggtgtggc ggaagaccag gtccttgcgg 24480 etgtegeegt teaggteeag cagetgegte acgttecaae cegtgeeege eggeagegea 24540 tegecegegg tgatgatgga aacaccatee ateaggegga tgtgcaegeg geegteggtg 24600 tggcggaaga ccaggtcgtc cttcgcgtcg ccgttcaggt cgcccaccag gttcaccgac 24660 caccegetge eggeeggeag gagetgggeg etggegeega aggtggtgee gttcatcagg 24720 aacaggtgcg cgcggccgtc ggtgtggcgg aagatcatgt ccgcgcgtcc gtcgccgttg 24780 aggtegecea ggtggettac egtecageeg etggeggeeg agaggaagee egeteeggee 24840 gtcaccgtgg tgccgtccat gatgtagatg tagccgcggc cgtcgctgtg catgaagacc 24900 aggteegeet tgeegtegee gtteatgteg eeegeetggg tgagegteea geeggteece 24960 gccccgaaga gctgggcgct gccgatgatc gtcgtgccgt ccatcaacca gatgtgcgcg 25020 egteegtegg tgtggegeag gatgatgtee geettgeegt egeegtteag gteegeegtg 25080 tggctcacga tccagccgag cccggcgggc agcagctcct tgccggccgt caccgtagtc 25140 ccgttcatga tgtacgcgta ggcgcggcca tcggtgtggc ggaacaggat gtcggcgcgc 25200 aggtcgccat tgaggtcggc cgtctggctc accgtccagc ccgcgccggc gccgatcagg 25260 ttggccgagc cggtgatggc ggtgccgttc atcgtccaca ccgcgatgcg cccgtcgctg 25320 ttctgcagca -cgaggtcgct -cctgccgtcg -ccgctcaggt -ccgagacgac -cggcttggtg 25380 25440 ggcggcgtga cgccaccgga aaccggcagt gccagcccgt cgatccaggc gcggtcggcg 25500 cagttggcgc catccggggc cggcgggttc caggtcggcg agttgcaagg cgtggagagg aagttegaga aacgeeacae cagegtgtge gegeeegegg teacegggaa egacaceage 25560

ttccagcccg aggccgtggt gcccgcgtcg ctgaacacca ccgtgccgtc gatcaggaac 25620 25680 tegaacttge eggegttggg gaagetegae acgegatagg egaacgegae gttgeeegeg agcagegtge cegegaacga gaggteggag tteacegteg tegagttggt egggtegete 25740 gtcaccacct gcgccgaacg aaggctggtc gcgccctcga aggcctggtc ggagccgacc 25800 gtccatgcgt tggcgccgcc cgaggtcgtg aagccggcag gcagcgtgcc acccgtgggc 25860 cacggcgaga ggatgatgcc ggtcgcggtc gccgggccgc cgatgaagac acccgtggaa 25920 eccgtegeat tggagagege gaegttgaae gtetegttge etteacegat accgtegete 25980 gccaccggga ccgtgatggt cttgggcgtg gtctcgccgt tggcccagct gagcgagccc 26040 gaggtegegg tgtagtegge geecgaagtg geggtgeegt tggaggtgge gtagetgaee 26100 gagatggcac ccgccgagcc gccgatgcgg ctcacggtga gcgtcacgtt gccggcggtt 26160 tecgeggeeg egaaggtggt geeggtgaac tgeacegaac egggaacgge gggeggggtg 26220 accettggact tgagcgccga gagtgccgcg cggttgttgt tcagcgagag cgcgtcgttg 26280 geetgegegg tgeegeacgg ttgeggegea cegacacceg tegtgeacga gaggeecggg 26340 ttggagaage ggtagacett ggtcgtcgag tcatgcagca gcgacatgat ggtggtgaag 26400 ttcgccgcgt cgttcgtcgt gcactcgggg cgctggctca cgccgcagge gccgccgccg 26460 gagccgttgg gcagggccga gttgcaggtg aggttgccgc tcgcgcaata gaagtggccg 26520 tacgagtacg cgaacgcacc ttgcggcggg ctcgcggtgc cgcccgcttc ccaggcctgc 26580 gaggggggtt cgtggcggtt gcccatggca tggccgagct cgtggatgaa gacccactcg 26640 26700 caaccgaaca ggcagccgga agcaacggcg taggcaaagt tggggtccgg cgtgctggtg cegatecagg etgegeegtt geegeegaag teggegeegt tgegeatgaa ggeeaccatg 26760 tecgegeegt attgegtgeg gatggeeteg atgttgeega acgtegegge gtegaagete 26820 gegtegeeeg gggtgatgge atgeategee gtggtgtegt egatggegte gtegtagtte 26880 acctgcgtcg cattcaccag gcgcagcgtg atggcgacct cgctgtcggc atacgcagtg 26940 ttggcgcgcg tgacgaggaa gttcaggcgc gtcatcaggc tgccgccgag gcgctggccg 27000 aagccgcgcg agtacacgat catcaggtcg atgacgttct gcggcgtggg cgtcacctgg 27060 gegageegae ggtatteacg ceggggatgg egateagggt eteggggetg eeggtegega 27120 27180 cgacgcgcga cttcgagccg gtcgtggcca cggcgtggtc ggcgccgagg ctgatgatcg 27240 .. geatgetgge etgeteggee gteatgtega ceaggtagte gaeggtgeeg eeeggaatea ggcggtactc accetgcggg gtcgagaaca cgccgaagga gccttcagge ccggtcgtga 27300 . cgatcgcgcg gtggttgatg ccgtcggtct tgctcttcgc gatccacgac gtgatgccgt 27360 " 27420 egeegtggge etggageaac tegaagacat acgagtggeg cacecegttg gggagegaca getegacete ggagegegga etcagggeat ggagggeege ggegttgaag egeacegett 27480 27540 geogggeaac ggcgctgccc ggcgccggca tegeggegge gggtgcggag accaggatet 27600 ggggaaccgc ggcgaaggcc acggaagaga agacgatcgc cagcgcgccg aggaaggcgg 27660. ctgtgatccg ttgcgtgaat gcgttcatgt ggagctccgg aagttgaccc atgcccaatc cgctatgtcg cggagatgtg gacaaaaggt atcgagcggg cgtgacgacc cgcccccgga 27720 27780 gggatgctcc aaaaggacta cgagggtgct acggctgggt tggtggcgaa ggccgaagga gaactccttg tggtctccgc gcgacttaag gttgcgaggg aaccaccgac cacccaccgg 27840 ggccgatcaa gtccgcgctg ccgatcgtgg tgacgccgtt catcaggcga atcgtcacgc 27900 geceategtt gtggtggaag accaegteea tgegeeegte geegttgaag tegaggaget 27960 gegteacegt ecagecegeg aacggeggea ggatgtegge ggegeegagg ategeggtge 28020 cgttcatcag gcgcacgtgc gcgcggccgt cggtgtgcgc gaacacgagg tccgcccggc 28080 28140 cgtcgccgtt gagatctccc accaggttca ccgaccatcc ggtgcccgcg ggcaacagct eggegetgge geegaacgte gtgccateca teaggaacag gtgtgegegg eegtegttgt 28200 28260 ggcggaagac gaggtcggcc ttctggtcgc cgctgaagtc cgcgacgtgg ctcaccgccc agccgctgcc gggcgcgagg aagcccacgc cggcggtgat cgccgtgccg ttcatgatgt 28320 28380 atgcgtagcc gcgcccatcg acgttggaga agacgatgtc ggccttgccg tcgccgttca 28440 tgtcgccggt gccgaccacg ttccatcccg agcccgcggg cagcaggctc gcactgccgc 28500 tgatcgcggt gccattcatc agccagatgt gggcgcgtcc gtccgtgtgc tgagcagcag gteggeettg eegtegeegt teaggteege egtgtggetg atggteeage eegtgeegge 28560 ggggaacage teettgeege ceaegacegt gagecegtte atetggtacg tgtagatgeg 28620 28680 cccgtcggtg tgctggaagt agatgtcggc ctggctgtcg ccgttggaat ccgcggccat tgatcacgct ccagccggcg ccggcgggaa tcaggttcgc cgaaccagtg atcgtcgttc 28740 cgttcatggt ccacgcggcg atgcgcccat cggtgtgctg gaacaggaag tcgctctgcc 28800 cgtcgccgtt caggtcggtc gccgcatggg tcgggaacgc caccttcgcg aggaaggcat 28860 cggagaaacc cgtgagcaac gtcttgtacg cgccgggcgt ggtcggatag ttcgccgacg 28920 28980 acgtgcggcc ggccacatag gccgcgcccc gcgcatcgac gccgacgccg taccccacct

cgacgttgtt gccgccgatc agcgtcgaga acacgatgtc gccgttgcgc acgcgagtga 29040 ggaacgcgtc ggcatcgccg ccggggccct gcaccgggtt cagggtcggg aagccggcga 291:00 cetgegtgta geceaegaeg agegeatege catteggege cagggegaeg tecaggggat 29160 tgtcgtaggc cgagccgccg aagatgcccg acgattcgag cgcgccggtg gccgagaagc 29220 gcgtcacgaa cgcatcgacg gtgccggcga aattgcgcac cgttccggtc tgcgggaagc 29280 tgggcaggcc ggtatcgccg acgacggtcg cctggcccgt gaccgggttc accgcgatcg 29340 eggtcacgtt gtcgccgctg ccgccgagga acgtggaata cgcgaccggg ccgccgctcg 29400 caccgatett ggtgacgaag cegecacegg gttgggtetg gtacgcatte acgttgegga 29460 acgtcgagga gcgcgtggag cccgcgacgt acgtgttgcc cgcattgtcc gttgcgatac 29520 cgcggccgat gtcatcaccg ctgccgccga gatacgtgga atagacgaag ccgccgttga 29580 acgagagetg gtgacgaacg cgtcgcgatt gaggccggtg ccgacgaaca cggctgcage 29640 gegetgeege eggtegggaa geegegegeg geegaaceeg tgacatgeat gaageegttg 29700 ttgtccacgg cgatcgccat gccctcgtcg tcgccggagc cgcccagcag ccgcgagaag 29760 atgacgttgc cagtggtatt cagcgccgtg acgaatgcat cgcgcccgcc ggcatggttg 29820 gtgcaatcgg tgacggcgaa gcaatgcggg aacgcgttgg tgccggtgga accggtgatc 29880 gcgacgaact cgttgccgcc ggaggcgccg agcgccagcc cgcggagata cgcttcggcc 29940 ccgagcgtgg tcgagtacac cacctgctgc gtggtggggt tgaacttcac caccgtggct 30000 tegtacgtge etgeggtata ggtegegage eegacgtaca egttgeeetg egegteeace 30060 ttgaccggcg tggtccactg ctcgtcgccg gcgccgccca ggtacgtgga gaacgccatc 30120 accgggtcga tcaccagcgt gcgggtgctg tcgtagtcgg cgatcacgaa gccggcctcg 30180 gegeeetget egeceaegaa gagetegaag egegeggeea eeggeaegeg egaategeeg 30240 acctgctgga aggctaccgg cgcgtgctgc gtaaattcct cctggcccac gcgcatgcgc :30300 aggttgccct cgccatcgat ccacgcgtgg tcggcggacg agaggtcgag gcggatctgg 30360 cgcggatcgg cgcgcgggc gaccacgaag tcgtattcga gcgtgccctc cttgccgtac 30420 acggtgaggt ccacgccgcg atacaggtcc ttcagcgaca cgcggccgaa gtgcggcacg 30480 ttttcgcgcc ggccggcggc cgtggtgccg ctgtaatagt ggctgagggt ggcccggggc 30540 tectegget cgatgacegg ateggaagee ceegegaage geaegegeaa eagegaggeg 30600 ctggcagctt tcctggagcg tggctcgaag gcaatgccat cgcggctcac ggagacgcgt 30660 ceggcetgce cgcgcgagac gtagagcgca tecgggccga actggccete gttgcgctcg 30720 aacgtgatgg gcgcgttcct gagggcatca gggacgacgg catggacggc ggcgggagtg 30780 gegagggegg cegegaegag caeggecagg gggeggageg ceggggeggge geegetggag 30840 ctgcgggtca tggggcagtg acctttctgt tgttatggct gcttgttgtc tttgcgggat 30900 ccacageteg gatecagetg gegatactae cagegagega gtggttttte gtgacecagt 30960 cccgcagtcg ggccccggcg acaacggcgg catcgcggtc ctttgccagg gcacgcacgg 31020 cetegateca gtegeegteg egggeeagea eggeggggge ategeggtag ggetegagat 31080 cegaggecac cacegggatg cegaggeage egtactegag cagetteagg ttgetetteg 31140 cgcgattgaa cgggttgtcg cgcagcggtg ccaccgcgac gtcgagtgcc agcgacgcga 31200 getteteegg gtactgegeg atgggeacea tgtegtgeac tteegeggeg aacggegeea 31260 getegggegt geacaggeeg aggaacacee agtegatete gegatgegtg gegegeacea 31320 egggetegag caactteagg tetteeceat getgtttege eeeegeecag eeeaegegeg 31380 gacgcgcgcc acccgcggga cggttcgcga ggccggccca acgctccgca tcgatcgcgt 31440 tegggateae gegeaegtee ttegegeege ggeegaagge eteegegage ggtgeggtgg 31500 acaccacgag geggtegeac aacgccaccg egegegegat gegetgggeg atgteegggt 31560 agatcgtcgc cgcatacgga ttgccgggcg gcagttgcgt gagcaggtca tccaggccca 31620 ggacetteag egegegteeg tggegegega geacetegag egaggtgage tggtagttgt 31680 31740 ggaagaagtt gtgcgcgagc acggcgtcgg cgtcgaggcg ctgccactcg acgcggttgg gegegeagee egtggegtge tegeceatea teacgacete gaegeggeee gegegeteea 31800 gegeegegea eggetggege aegegeacet egeeggagee eeageggteg aaeggaaaeg 31860 cgcagagccg aaccgcgtgc gtgtcgttgc cgcgcggcgc gaagcgttcc acgggcccgt 31920 agccctcgcc gcccatgcgc aacgccgggt ggtagtgcgg atcgtcgtcg agcaccggct 31980 gccagegete gegeatecae geetettegg aaggaatgae gagettegee aeeggaacga 32040 eggcategge gegegeateg gegageaacg ggaagteege egegatgeeg gggegegeaa 32100 ggatgtegaa gecegetgeg egcagecega ggcacaggtg egccategeg aacggeeceg 32160 cgcgctcgat ctcgtgcagc gcctgcgcgg agagcgccgc gtcgcggttg accagcgcga 32220 gacggcccgc cgcgacgctc acctcgcgcg gcgatgcgta gagtgccgcg aggcgctcct 32280 32340 cgccctgcgc gcgcggcgga gcgcccgaga cggcccacgg cccgccgccc gcgatttccc agccgggaac gcgcacaccg ccggggccca gcaggtcggg cgcgagggca cccgtggagg 32400

ggcctgcgat gccctgctcg aggcgctcga gccagccggc gcggaattcg ctgcaacgcg 32460 catcgacgat cgcgatccac agcgtcgccg cgttgcggat ggcgcgcgcg aacgcggagc 32520 eggtttegee geceaeegga accaggtgeg tgegeaegee gegeeegee ageteaeegg 32580 gccagcgttt cggcgccctt cgcgtcgaga tcgacgtaca cgtggccgat acgttcgcgg 32640 cagocottca cgagogocto gatgoacgoc accagoogot coggogogtg cgtogogtca 32700 atgaaggege aaategtgee ggeeeegate gegegegeee aegatgeggg egeateggae 32760 gcagctggca ggaacgcggc ctgcgtgcgc gtgcggcgga agtgctccgc gaccacgcgc 32820 tggtggcgct cgcgcgcggc gtcgctttcc tgcgcggcga tgttcaggtc gaggcgatgc 32880 acgagcaget cgcgcagtgc caccacggcg ctcgcacggc cctcctccgc gaggcgcagc 32940 gegagategg tgaegeeege ceageegeeg gegegeagee egecaegete cageaacgea 33000 gegeggegea geacegegag ceeggegage ggetggtgte gegegaacte egegeegaac 33060 gtggggacga acgccggatc gtagcgttcg ccgtgcgcgc tcagggcatc actgcagccg 33120 tagagaaget eggegttegg gttgegtgeg accgeaceg ceacegeget eggegegeea 33180 teggecagec ggtegecete etecaceage acgaeceatt egecettege gteegegate 33240 gegeggttga egegeegag egeegegteg etegegtege getegaggae eaeggtetee 33300 agggcgatcg cggcagtgct cctggccggc aaggcctcgc gcgccatcca gtggtcgtag 33360 gcatcgccgc ccagcggcgt gcgctcgcgg cggcgtggaa agccgaggca cgccgcggcg 33420 aacaacggat cgatcgttgc gggcacagca tecacegege catcgcgctc cgccgccage 33480 tegegataga gegecaggta eteggeegea ttegeetega tegtettegg geggtggtae 33540 ttcaggttct ccgcgacgcg atcgagcgcc gtgcggtcgt cgcgcaggcg cagcaggagg 33600 gccacgatcg cgccgggatc gttgtgcggc agcaggaagc cggtctcgcc atcgcgcacg 33660 cgctcgggaa tggcgccatc gcgcgtgccc gccaccggga tgccgaggcg ctgtgcctcg 33720 ctcaacacca ggcagaaggt ctcctccatc gtcgagggca gcaggaccag gtcgatgccg 33780 cgaaggatgc gcggcaggtc cgtcgcggca taggcgccgc gctgcatgat gcccgccgca 33840 ttegeegeeg ettegagege gagategege ggaceeeagg eetegatege gatgegetge 33900 cccgccagec ggcgcgcgc ctcgatgatc aggtgcgcgc ccttgcgccc gccgaagcgg 33960 ccgaggaagg ccacgcgcag caccggccgc gcttcggggc gcggaagcag cggcaggtcg 34020 gcaatgccgt gcccgatgac gcgcagcttc gcttcgcagc tcgcgccgaa gcccttgcgc 34080 atgcgcatcg ccgcgtactc ggacgggcag aggatcacgt cggccgcgtc cacggcatcg 34140 gacgccgcgg cgaagcgcga ttcgaggtag ccggtcacgg acgccggcgc cgtcggcccc 34200 acgatogoot cgctgcggcc gcgcaggcaa tccacgcatc cgccatcggc gccgcgcgcg 34260 geggegegge egeacggeag gteetgegge eeggteatea tgttgtagte ggegeacagg 34320 tacgagaagt cgtgcgccgt gatgaccacg cgtgcccccg actcacgcgc gatgcgcggc 34380 aggegeagge tgttecagee caccaacgae tggaagtgea egacgtegta geeceeggae 34440 34500 agcagttege ggaaggeege etecaegeee gegteggeaa eegeegeete gtgeeegate acgoggatgo cgggcgtcat gcgctcgggg ttcaggcgcg cgagtcgcac gtgcgtcgcc 34560 aggogotogg tggtgaagto ggtccacgcg cgcgggccct cgggcagcac cagcgtcgag 34620 34680 gegacgteet tgegeageag gttcaccage gegegegtgt geteetcaat geegeegege gagtcgaggc gatgcagcac ctgcagcacg cgcgggcggc ccggcatccg ctcgcgctcg 34740 geogegegt tgaegegete ggeggegege egeagegggt tegegatege ceaegegege 34800 acgcccgcga cgtaggtggg ccagcggcgc tcgaggcgca cgcggttggc ctcgcgcgcg 34860 gegtegatge eggecacece geegaacgag geetegeeeg egtggtgeac gtagaegteg 34920 tegeageacg egatetgeea gteceggtee agegegegea tegagaggte gtttteeteg 34980 ccgtagccgc ggccatagag cgagtcgaac gggccgcatt gcacccacac ctcgcggcgc 35040 accagcatge agaageegae egeegtegge aggegeggat actegeggeg getggegege 35100 gcgacgcagg cggagatggc atcgacgtcc ggctcgccgt cgggccgctc gaagatatcg 35160 35220 gcgacgccgg gcaggctgag gatcgtcgcg cggttggaga gcgggcacac gatgccgacc cgcgcatcgc tgtcgcggca acgcagcagg ccctcgagcc aaccggggcc gacctgcgta 35280 tecgaattga geaccaegaa gtegeegeeg etgeeggeea ggeeegeage gaeegegeet 35340 gcgaagccga ggttcttcgc attggtgacg acacgagtgc cggcacgacg cgccgcgaag 35400 ctgcccagca acceggegag gegeggateg gtgctegegt categacgag gacgatgeeg 35460 tgcgcggcgc ccgtgtggcg ggccagcgac gcgaggcagc gttcggtgtc gtcgtggccg 35520 ttgaagaccg ggacgacgac tagcgccggc gccatccgac cggcgcttcg agctgggcca 35580 atcgcgccag caggcgctgg tgctcctgcg agagtgcctc gagctgcttc tgcgaggcga 35640 cgtaggcgcc tccatgcgct cccaggtgcg tgcgcgcctc ctcgagctgc cgcagcgact 35700 gctcgtggcg accggagacg tcgtggtcgc ggtcggagag cagcgagaag cgcccggccc 35760 cegcegteac egectegege tegcegeaca gggegaggaa gtacategea teggegaege 35820

ccqccgcggg	tttcgcagcc	teeggegeeg	aagcttgcag	caactgcacg	gcgtcgggca	35880
ccqcqtqcaq	cggccagatc	gccgaatacg	catcgacgcg	ttgcccgaac	agggccacct	35940
ccqqqaaccq	cgccttcagc	acggcgagga	attcgtgctc	gtagagctcg	cgcacgtgat	36000
acagattaca	gtagtcgcgc	tggtccgagt	acacctcgcg	gttcggcgtc	gagaccagca	36060
gcaggcggc	gggcgccagc	acgcgcttcg	cttcgtcgag	caggcgctcg	ggatcgggaa	36120
tatactcaaa	catctcaaaq	gagacgagga	gatcgatgct	tgcgtcatcg	cacggcagcg	36180
actcgcagcg	qccctcqacq	tactgcaggt	tctgcgcggc	accatagcgg	cggcgcgcct	36240
acacaataat	ctcaacaaca	acatccgcgc	ccaccacgga	cttcgcgcgc	gtcgccagca	36300
gcgccgagcc	gtagccctcc	ccgcaggcga	tgtcgaggac	gcggcagcct	ccggcgagcg	36360
gcaacgcaaa	gtagtagcag	tgccagtgct	cgtaccagat	ctcgccctcg	aagccgggct	36420
ggaaacgttc	gtgttccatc	gggagagtat	aggtggatgt	gcaaccgccc	tccggagagg	36480
acaattacaa	tgatcttatt	cgagatcggc	tgctacggaa	gcaccggcaa	cggctgcggc	36540
gacaccacca	accatccggt	gcccgcgccc	agcaggttcg	cgctgccgag	cgtggtgagg	36600
ccatccatca	ggcgcaccgt	gatgcggcca	tcgacattct	tgaacaccat	gtcgagcttg	36660
ccqtcqccat	cgaagtcgag	cagttgcgtg	acggtccagc	ccgccccgc	cggcagcacg	36720
tccqccqcqc	tgaggatggc	ggtgccgttc	atcaggcgca	cgtgcgcacg	gccgtcggtg	36780
togcogaaca	cgatgtcacc	gcgcccgtcg	cggttcatgt	cgcccacgtg	gctcacgatc	36840
caqccqqtqc	ccgcgccgag	gagctcggaa	ccggcgccga	acgcggtgcc	gttcatgatg	36900
aagagatgcg	cgcggccatc	ggtgtggcgg	aagaacatgt	ccgccttgcc	gtcgccgctc	36960
acgtcgccca	ggtgcgtcac	cgtccagccg	ctggcgggcg	agaggaagcc	cgcgccggcg	37020
gtgatggtgg	tgccgttcat	caggtagatg	tagccgcggc	cgtcagcgtg	gatgaagacg	37080
atqtcqtccc	tgccgtcgcc	gttgaggtcc	ccggtggcca	cgactctcca	gcccgtcgcc	37140
ggccccagca	gctgctggct	gccgatgatg	gccgtgccat	ccatcagcca	caggtgcgag	37200
cggccgtcgg	cgttgcgcag	caggagatcc	gccttgccgt	cgccgttcat	gtcggcggtg	37260
cggtcgatgc	tccagccgag	gccggcgccc	agcagctcct	tgccgccggt	caccgtgagg	37320
ccgttcatcg	tgtacacgta	cacgcgcccg	tcggtgtggt	gggatcctct	agagtcgacc	37380
tgcaggcatg	caagcttgag	tattctatag	tctcacctaa	atagcttggc	gtaatcatgg	37440
tcatagctgt	ttectgtgtg	aaattgttat	ccgctcacaa	ttcacacaac	atacgagccg	37500
gaagcat						37507



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.